

The logo features a stylized red 'f' on the left, followed by the word 'MAURI' in a bold, white, sans-serif font. The letters 'M', 'A', and 'U' have red accents at their base, and the 'I' has a red triangle at its bottom right corner. The background is a dark grey with a repeating pattern of interlocking geometric shapes.

**f MAURI**

*Fasten your business*

— ITALIAN FASTENERS CREATOR SINCE 1953 —

[www.mauri-fm.it](http://www.mauri-fm.it)



# Welcome to Mauri

F.lli Mauri srl, established in 1953, designs and manufactures fasteners and OEM parts made by steel cold forging.

It all began in a garage in Italy in late 1940's when two brothers set out to experiment with an innovative solution to weld metal chains. That entrepreneurial spirit with the drive to find innovative solutions became F.lli Mauri srl.

Today Mauri is an European leader of cold forged fasteners with over 80 employees and 60 sets of machines.

Cold forging is at the core of our business. With an R&D team of 14 employees, we develop new products, tooling and machinery in-house.

We are dedicated to this technology because it is extremely efficient, cost effective, and has a low environmental impact allowing for material savings of up to 75% versus traditional production methods.

We proudly serve customers in over 45 markets globally. It is our pleasure to cooperate with you and welcome you to our company.

Please contact us at [sales@mauri-fm.it](mailto:sales@mauri-fm.it)

**unit 1**

Via Barzago, 189  
23852 Garlate LC







**unit 2**

Via del Lavoro, 5  
23854 Olginate LC


## Insert nuts : With head


from page  <b>29</b>					
	<b>312A0</b> 33	<b>312C1</b> 34	<b>312S2</b> 35	<b>317A0</b> 36	<b>318F5</b> 37
					
	<b>318L2</b> 38	<b>324A0</b> 39	<b>326A0</b> 40	<b>327A0</b> 41	<b>329A0</b> 42

## Insert nuts : Without head


from page  <b>43</b>					
	<b>312E8</b> 46	<b>312N1</b> 47	<b>313D1</b> 48	<b>314A0</b> 49	<b>315A0</b> 50
					
	<b>351A0</b> 51				

## Knock down insert nut : With head


from page  <b>52</b>					
	<b>644A0</b> 56	<b>645A0</b> 57	<b>645C1</b> 58	<b>645C2</b> 59	<b>645C5</b> 60



### Knock down insert nut : Without head



### Sleeve nut : CSK head with hex recess





## Sleeve nut : Flat head

from page  <b>78</b>					
	<b>331A0</b> 81	<b>505E2</b> 82	<b>521A0</b> 83	<b>592A0</b> 84	<b>674A0</b> 85
					
	<b>674C5</b> 86	<b>678A0</b> 87	<b>686A0</b> 88		

## Sleeve nut : Flat head with hex recess

from page  <b>89</b>					
	<b>522KT</b> 93	<b>563A0</b> 94	<b>563C1</b> 95	<b>563C3</b> 96	<b>593A0</b> 97
					
	<b>594A0</b> 98	<b>594A5</b> 99	<b>596A0</b> 100	<b>596A5</b> 101	<b>602A6</b> 102
					
	<b>608A0</b> 103	<b>608A5</b> 104	<b>659A0</b> 105	<b>666A0</b> 106	<b>669A0</b> 107

### Sleeve nut : Flat head with Pz - Ph recess

from page		
	<b>108</b>	<b>635A0</b> 111

### Sleeve nut : Flat head with slot recess

from page			
	<b>113</b>	<b>609A0</b> 116	<b>614A0</b> 117

### Sleeve nut : Round head



from page					
	<b>119</b>	<b>607A0</b> 122	<b>607C5</b> 123	<b>607L6</b> 124	<b>607P3</b> 125
					
	<b>675A0</b> 127	<b>983A0</b> 128			







## Sleeve nut : Round head with hex recess

from page  <b>129</b>	 <b>564A0</b> 133	 <b>564C3</b> 134	 <b>595A0</b> 135	 <b>595D1</b> 136	 <b>597A0</b> 137
	 <b>602A0</b> 138	 <b>603H9</b> 139	 <b>628A0</b> 140	 <b>629A0</b> 141	 <b>637A0</b> 142
	 <b>662A0</b> 143				



## Sleeve nut : Round head with slot recess

from page  <b>144</b>	 <b>615A0</b> 147	 <b>974A0</b> 148
--------------------------------	---	---




## Sex bolts : CSK head

from page  <b>149</b>	 <b>530A0</b> 152	 <b>531A0</b> 153	 <b>567P0</b> 154	 <b>622L3</b> 155
--------------------------------	--	--	--	--



### Sex bolts : CSK head with Pz - Ph recess

from page		
	<b>156</b> 622A0 159	622E2 160



### Sex bolts : Flat head

from page				
	<b>161</b> 555L3 164	636A6 165	647C8 166	803A0 167



### Sex bolts : Flat head with hex recess

from page		
	<b>168</b> 555A6 171	555G8 172

### Sex bolts : Flat head with Pz - Ph recess

from page		
	<b>173</b> 497A0 176	497ST 177

### Sex bolts : Oval head with Pz - Ph recess

from page		
	<b>178</b>	<b>503A0</b> 181

### Sex bolts : Oval head with slot recess

from page	
	<b>183</b>

### Sex bolts : Round head

from page			
	<b>187</b>	<b>800E0</b> 190	<b>800E9</b> 191

### Sex bolts : Round head with Pz - Ph recess
















from page					
	<b>193</b>	<b>501A0</b> 197	<b>555A0</b> 198	<b>555E2</b> 199	<b>555ST</b> 200

			
<b>565C5</b> 202	<b>565E2</b> 203	<b>616A0</b> 204	<b>636A0</b> 205

### Adjustable feet : Hollow screws

from page  <b>206</b>				
	<b>578A0</b> 209	<b>578C5</b> 210	<b>578M8</b> 211	<b>579A0</b> 212

### Adjustable feet : Levelers

from page  <b>213</b>					
	<b>290G0</b> 217	<b>290G2</b> 218	<b>290N2</b> 219	<b>290ND</b> 220	<b>290R4</b> 221
					
	<b>300G0</b> 222	<b>301G0</b> 223	<b>303N2</b> 224	<b>304G0</b> 225	<b>310G0</b> 226
					
	<b>604G6</b> 227	<b>645G0</b> 228	<b>645GD</b> 229	<b>710G0</b> 230	<b>720G0</b> 231

 <b>30110</b> 232	 <b>30410</b> 233	 <b>30643</b> 234	 <b>30644</b> 235	 <b>30654</b> 236
 <b>30655</b> 237	 <b>72011</b> 238			

### Adjustable feet : Pins for adjustable feet



from page  <b>239</b>	 <b>291A0</b> 242	 <b>310A0</b> 243	 <b>654A0</b> 244	 <b>654A2</b> 245	 <b>725A0</b> 246
	 <b>727A0</b> 247	 <b>730A0</b> 248			

### Bushings : Insert for plastic




from page  <b>249</b>	 <b>111A0</b> 253	 <b>323A0</b> 254	 <b>330A0</b> 255	 <b>331P3</b> 256	 <b>333A0</b> 257
--------------------------------	--	--	--	--	--

 <b>695A6</b> 258	 <b>695C1</b> 259	 <b>695Q4</b> 260	 <b>696A0</b> 261	 <b>696Q4</b> 262
 <b>985A0</b> 263				








### Bushings : Inserts for pipe

from page <b>264</b>	 <b>321A0</b> 267	 <b>680A0</b> 268
----------------------------	--	--

### Bushings : Pipes studs

from page <b>269</b>	 <b>340A0</b> 272	 <b>352A1</b> 273	 <b>505A0</b> 274
----------------------------	--	--	--



## Bushings : Riveting bushes

from page  <b>275</b>	 <b>335A0</b> 278	 <b>342A0</b> 279	 <b>343A0</b> 280	 <b>344A0</b> 281	 <b>346A0</b> 282
	 <b>375A0</b> 283	 <b>957A0</b> 284			

## Bushings : Special shape

from page  <b>285</b>	 <b>183A0</b> 288	 <b>183D7</b> 289	 <b>188A0</b> 290	 <b>189A0</b> 291	 <b>196A0</b> 292
	 <b>196D7</b> 293	 <b>375A0</b> 294			



## Bushings : Table pins

from page  <b>295</b>	 <b>405A0</b> 298	 <b>405B4</b> 299
--------------------------------	--	--



## Bushings : Welded bushings

from page  <b>300</b>	 <b>612A0</b> 303	 <b>612C1</b> 304	 <b>612D4</b> 305	 <b>683A0</b> 306	 <b>684A0</b> 307
	 <b>911A0</b> 308	 <b>930A0</b> 309	 <b>930E0</b> 310		

## Hex key : L shape hardened

from page  <b>311</b>	 <b>566C8</b> 314	 <b>566F3</b> 315
--------------------------------	--	--

## Hex key : L shape not hardened

from page  <b>316</b>	 <b>566A0</b> 319	 <b>566P6</b> 320
--------------------------------	--	--



## Hex key : 2 shape hardened

from  
page

**321**



**624C8**  
324

## Connecting fittings : 180 degrees pilot hole 35 mm

from  
page

**325**



**661A0**  
328



**665A0**  
329



**665C4**  
330



**665G0**  
331



**66115**  
332



**66140**  
333



**66501**  
334

## Connecting fittings : 90 degrees pilot hole 15 mm

from  
page

**335**



**150A0**  
338



**166A0**  
339



**175A0**  
340



**175K1**  
341



**178A0**  
342






**24001**  
343





Connecting fittings : 90 degrees pilot hole 25 mm safe

from page		
	<b>344</b> 24001 347	<b>24501</b> 348

Connecting fittings : 90 degrees pilot hole 30 mm

from page			
	<b>349</b> 30510 352	<b>51201</b> 353	<b>62701</b> 354

Connecting fittings : 90 degrees pilot hole 35 mm

from page				
	<b>355</b> 250A0 358	<b>251A0</b> 359	<b>25560</b> 360	<b>25510</b> 361

Connecting fittings : 90 degrees pilot hole 35 mm safe

from page					
	<b>362</b> 165A0 365	<b>452A0</b> 366	<b>24001</b> 367	<b>24501</b> 368	<b>24901</b> 369

## Connecting fittings : 90 degrees pilot hole 40 mm

from  
page

**370**



**50401**  
373

## Rivet nut : Office chairs brackets rivets

from  
page

**374**



**668A0**  
377

## Rivet nut : Top Nut rivet autopiercing

from  
page

**378**



**646A0**  
381



**646P0**  
382

## Rivet nut : Top Nut rivet pre drilled hole

from  
page

**383**



**667A0**  
386














**671A0**  
387



**690A0**  
388






## Spacers : With hole






from page  <b>389</b>					
	<b>945Λ0</b> 393	<b>946Λ0</b> 394	<b>946B5</b> 395	<b>947Λ0</b> 396	<b>948Λ0</b> 397
					
	<b>948B4</b> 398	<b>949Λ0</b> 399	<b>950Λ0</b> 400	<b>950B5</b> 401	<b>950Q7</b> 402
					
	<b>951Λ0</b> 403				

## Spacers : With internal hex

from page  <b>404</b>	
	<b>623Λ0</b> 407

## Assembling screws : Flat head with hex recess


from page  <b>408</b>					
	<b>409Λ0</b> 412	<b>416Λ0</b> 413	<b>416B0</b> 414	<b>433Λ0</b> 415	<b>470Λ0</b> 416

				
<b>509A0</b> 417	<b>509L1</b> 418	<b>513A0</b> 419	<b>553A0</b> 420	<b>657A0</b> 421

### Assembling screws : Flat head with Pz - Ph recess

from page  <b>422</b>					
	<b>416A8</b> 425	<b>470C2</b> 426	<b>510A0</b> 427	<b>553C2</b> 428	<b>657C1</b> 429












### Assembling screws : Round head with hex recess

from page  <b>430</b>	
	<b>513B3</b> 433



### Dowels : Wood thread

from page  <b>434</b>			
	<b>161A0</b> 437	<b>163A0</b> 438	<b>164A0</b> 439



## Wood screws : Euroscrews

from page  <b>440</b>	 <b>422A0</b> 444	 <b>422A5</b> 445	 <b>422A6</b> 446	 <b>422A7</b> 447	 <b>422C6</b> 448	
	 <b>422E4</b> 449	 <b>422K0</b> 450	 <b>422P0</b> 451	 <b>422R9</b> 452	 <b>424A0</b> 453	
	 <b>447A0</b> 454					

## Wood screws : Flat head with hex recess

from page  <b>455</b>	 <b>562A0</b> 458	 <b>576B9</b> 459
--------------------------------	---	---

## Wood screws : Flat head with Pz - Ph recess

from page  <b>460</b>	 <b>415A0</b> 463	 <b>601A0</b> 464
--------------------------------	--	--

## Wood screws : Hex head

from  
page

**465**



**474Λ0**  
468

## Wood screws : Hook screws

from  
page

**469**



**585Λ0**  
472

## Wood screws : Round head with hex recess

from  
page

**473**



**514Λ0**  
476



**514B9**  
477

## Metal screws : CSK head with hex recess

from  
page

**478**



**426Λ0**  
481



**426D2**  
484





**426E0**  
485








## Metal screws : CSK head with Pz - Ph recess

from page  <b>486</b>					
	<b>420A0</b> 489	<b>420B2</b> 490	<b>420E0</b> 491	<b>617A0</b> 492	<b>622C4</b> 493

## Metal screws : Cutting head



from page  <b>494</b>		
	<b>515A0</b> 497	<b>515B4</b> 499

## Metal screws : Flat head with hex recess





from page  <b>500</b>					
	<b>414A0</b> 503	<b>419A0</b> 504	<b>562A0</b> 505	<b>562B4</b> 506	<b>562C5</b> 507
					
	<b>632A0</b> 508	<b>666C4</b> 509			





### Metal screws : Flat head with Pz - Ph recess

from page		
<b>510</b>	<b>403A0</b> 513	<b>497C4</b> 514


### Metal screws : Hex head

from page				
<b>515</b>	<b>412A0</b> 518	<b>412B5</b> 519	<b>442A0</b> 520	<b>475A0</b> 521







### Metal screws : Pan head

from page		
<b>522</b>	<b>425A0</b> 525	<b>425A2</b> 526

### Metal screws : Round head

from page	
<b>527</b>	<b>407A0</b> 530



## Metal screws : Round head with hex recess

from page  <b>532</b>					
	<b>514A0</b> 535	<b>514A5</b> 537	<b>514B4</b> 538	<b>514B5</b> 539	<b>514B6</b> 540
					
	<b>514B8</b> 541				

## Metal screws : Round head with Pz - Ph recess

from page  <b>543</b>					
	<b>404A0</b> 547	<b>404E4</b> 548	<b>413A0</b> 549	<b>413E1</b> 550	<b>501C4</b> 551
					
	<b>555C4</b> 552	<b>565C4</b> 553	<b>565C6</b> 554	<b>565H1</b> 555	<b>616C4</b> 556

## Studs : Hanger bolt

from page  <b>557</b>		
	<b>400H1</b> 560	<b>613A0</b> 561

## Studs : Studs for plastic

from page  <b>562</b>					
	<b>515C1</b> 566	<b>801A0</b> 567	<b>848A0</b> 568	<b>962A0</b> 569	<b>977A0</b> 570
					
	<b>977E3</b> 571	<b>977H2</b> 572	<b>977K7</b> 573	<b>978E3</b> 574	

## Stop screws : Hex recess

from page  <b>575</b>			
	<b>810A0</b> 578	<b>810B4</b> 579	<b>810B5</b> 580

## Pins : Pins

from page  <b>581</b>					
	<b>170A0</b> 585	<b>380A0</b> 586	<b>584A0</b> 587	<b>590D0</b> 588	<b>590P2</b> 589
					
	<b>590P4</b> 590	<b>655A0</b> 591	<b>841A0</b> 592	<b>860A0</b> 593	<b>861A0</b> 594

			
<b>861E1</b> 595	<b>862A0</b> 596	<b>863A0</b> 597	<b>863E1</b> 598

### Brackets : Flat shape

from page <b>599</b>				
	<b>20103</b> 602	<b>20104</b> 603	<b>50703</b> 604	<b>50704</b> 605

### Brackets : L shape






from page <b>606</b>			
	<b>21701</b> 609	<b>21801</b> 610	<b>22001</b> 611






## Insert nuts : With head











A MAURI steel insert nut gives a higher level of performance and confidence compared to die-cast versions. It is the perfect anchor for various material densities to create a long lasting connection. The presence of the head facilitates depth positioning. Insertion by screw-in action is performed using the part's recess.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
312A0	●	●				●	●	●	●	●
312C1	●	●				●	●	●	●	●
312S2	●	●				●	●	●	●	●
317A0		●	●		●	●	●	●	●	●
318F5	●	●				●	●	●	●	●
318L2	●	●				●	●	●	●	●
324A0				●			●			●
326A0	●	●				●	●	●	●	●

	Materials				Assembling			Quality		
										
327A0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
329A0	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	d	diam	dk	l	s	pilothole
312A006012	M6	10	12	12	6	8
312A006013	M6	10	12	13	6	8
312A006015	M6	10	12	15	6	8
312A006017	M6	10	12	17	6	8
312A006020	M6	10	12	20	6	8
312A006024	M6	10	12	24	6	8
312A008013	M8	12,5	14	13	8	10
312A008015	M8	12,5	14	15	8	10
312A008017	M8	12,5	14	17	8	10
312A008020	M8	12,5	14	20	8	10
312A008024	M8	12,5	14	24	8	10
312A010020	M10	15,3	17	20	10	13
312A010025	M10	15,3	17	25	10	13




article	d	diam	dk	l	s	pilothole
312C106013	M6	10	12	13	6	8




article	d	diam	dk	l	s	pilothole
312S206018	M6	12	13,8	18	6	10




article	d	diam	dk	l	s	pilothole
317A004008	M4	10	12	8	5	8
317A004010	M4	10	12	10	5	8
317A006008	M6	10	12	8	6	8
317A006010	M6	10	12	10	6	8
317A006015	M6	10	12	15	6	8



article	d	diam	dk	k	l	s	pilothole
318F508017	M8	15,3 SX	22	2,5	17	10	13
318F510017	M10	15,3 SX	22	2,5	17	10	13



article	d	diam	dk	k	l	s	pilothole
318L206016	M6	10 SX	15	2	16	6	8



article

d

dk

k

l

s

324A010024


M10

18,6

2


24

17





article	d	diam	dk	l	s	pilothole
326A006010	M6	10	12	10	6	8





article	d	diam	dk	l	s	pilothole
327A008010	M8	12	13,6	10	8	10








article	d	diam	dk	k	l	s	pilothole
329A006012	M6	10 SX	14	1,5	12	6	8






## Insert nuts : Without head











A MAURI steel insert nut gives a higher level of performance and confidence compared to die-cast versions. It is the perfect anchor for various material densities to create a long lasting connection. Without head models may have a flat surface of similar diameter to the outer thread. Insertion by screw-in action is performed using the part's recess or the inner thread depending on the model.



Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
312E8	•	•				•	•	•	•	•
312N1	•	•				•	•	•	•	•
313D1	•	•				•	•	•	•	•
314A0	•	•				•	•	•	•	•
315A0	•	•				•	•	•	•	•
351A0	•	•				•	•	•	•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	d	diam	dk	l	s	pilothole
312E806015	M6	12	12	15	6	10
312E806022	M6	12	12	22	6	10




article	d	diam	dk	k	l	s	pilothole
312N106012	M6	10	9,8	2,3	12	6	8




article	d	diam	l	s	pilothole
313D106025	M6	12	25	6	10






article	b	d	diam	dk	k	l	s	pilothole
314A004010	6	M4	8	8	1,5	10	4	6
314A005012	7	M5	9	9	1,5	12	5	8
314A006012	6	M6	12	12	1	12	6	10
314A006015	9	M6	12	12	1	15	6	10
314A006018	12	M6	12	12	1	18	6	10
314A008015	9	M8	14	14	3,5	15	8	12
314A008020	14	M8	12,5	14	3,5	20	8,35	
314A008024	18	M8	12,5	14	3,5	24	8,35	



article	b	d	diam	ds	l	pilothole
315A006028	8	M6	10,5	8,2	28	8
315A008032	10	M8	13	10,2	32	10








article	d	diam	ds	l
351A008015	M8	12,50	9,4	15
351A008020	M8	12,50	9,4	20
351A008025	M8	12,50	9,4	25
351A010020	M10	15,50	11,60	20
351A010025	M10	15,50	11,60	25
351A010030	M10	15,50	11,60	30






## Knock down insert nut : With head











A MAURI steel knock down insert nut with head provides one of the most stable platforms for adjustable levelers. The wide and solid head provides a stable base, while anti-rotation features facilitate coupling with the counterpart. Insertion is performed by applying pressure.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
644A0						•	•	•	•	•
645A0						•	•	•	•	•
645C1						•	•	•	•	•
645C2						•	•	•	•	•
645C5						•	•	•	•	•
645D6						•	•	•	•	•
645D7						•	•	•	•	•
670A0						•	•	•	•	•


	Materials					Assembling			Quality	
										
670C1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
670K1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
672A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	d	diam	dk	ds	k	l	pilothole
644A006010	M6	9	19	8,4	3	10	8,5
644A006011	M6	9	19	8,4	3	11	8,5
644A006012	M6	9	19	8,4	3	12	8,5
644A006014	M6	9	19	8,4	3	14	8,5







article	d	diam	dk	ds	k	l
645A00506M	M5	7,5	11	7,5	1	6,5
645A006014	M6	9	14	8,3	1,5	14
645A008016	M8	11	19	10,4	2,5	16
645A010017	M10	13	22	12,4	2,5	17




article	d	diam	dk	ds	k	l
645C108014	M8	11	19	10,4	1,5	14




article	d	diam	dk	ds	k	l
645C208012	M8	11	17	10,4	2	12





article	d	diam	dk	ds	k	l
645C506014	M6	9	17	8,3	1,5	14




article	d	dk	ds	k	l	pilothole
645D606009	M6	19	8,4	3	9	8,5
645D606010	M6	19	8,4	3	10	8,5
645D606011	M6	19	8,4	3	11	8,5
645D606012	M6	19	8,4	3	12	8,5
645D606014	M6	19	8,4	3	14	8,5



article	d	diam	dk	ds	k	l
645D708014	M8	11	19	10,4	2	14
645D710015	M10	13	22	12,4	2,5	15




article	d	dk	ds	k	l
670A006009	M6	15	8,5	2	9
670A006014	M6	15	8,5	2	14
670A008016	M8	19	10,8	2	16
670A010015	M10	22	12,6	2,5	15




article	d	dk	ds	k	l
670C110015	M10	26	12,60	2,5	15





article	d	dk	ds	k	l
670K108016	M8	19	10	2	16








article	d	dk	k	l
672A00506M	M5	11	1,3	6,5






## Knock down insert nut : Without head











A MAURI steel knock down insert without head can be used in situations where the part must be completely inserted or immersed. Insertion is performed by applying pressure.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
316A1	●	●				●	●	●	●	●
682A0	●	●				●	●	●	●	●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	d	ds	l	pilothole
316A106015	M6	10,2	15	10
316A106028	M6	10,2	28	10
316A10621D	M6	10,2	21,8	10
316A108015	M8	12,2	15	12



article	d	diam	dk	l	pilothole
682A006013	M6	11	12	13	10






## Sleeve nut : CSK head with hex recess






The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The CSK head design allows it to remain flush with the surrounding surface.













Scan QR code for more information












-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
571A0						•	•		•	•
621A0						•	•		•	•
635C3						•	•		•	•

Coating





UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		5 Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	l	s	pilothole
571A006020	12	M6	12	8	20	4	8



article	b	d	dk	ds	l	s
621A006031	14	M6	13	9,9	31	4
621A00633M	14	M6	13	9,9	33,5	4








article	b	d	dk	ds	l	s	pilothole
635C306015	7,5	M6	10,5	8	15	4	8






## Sleeve nut : Flat head











The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The smooth head can be used as a design feature for improved aesthetics.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
331A0						•	•		•	•
505E2						•	•		•	•
521A0						•	•		•	•
592A0						•	•		•	•
674A0	•					•	•		•	•
674C5		•				•	•		•	•
678A0						•	•		•	•
686A0				•		•	•		•	•


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	d	dk	ds	k	l	pilothole
331A00406M	M4	7	5	1	6,5	5




article	d	dk	ds	k	l	pilothole
505E206014	M6	12	8	1,5	14	8




article	b	d	dk	ds	l
521A00413M	9	M4	14	8	13,50




article	b	d	dk	ds	k	l	pilothole
592A008025	22	M8	15	10	2,5	25	10
592A00816M	10	M8	15	10	2,5	16,5	10




article	b	d	dk	ds	k	l	pilothole
674A006008	5	M6	13	9,3	1,5	8	8
674A006010	7	M6	13	9,3	1,5	10	8



article	b	d	dk	ds	k	l	pilothole
674C506009	5	M6	14,5	8,65	2,5	9	8



article	d	dk	ds	k	l	p	pilothole
678A00610M	M6	16,5	8,5	1	10,5	5	8,5



article	d	dk	k	l	pilothole
686A008010	M8	15	2	10	11













## Sleeve nut : Flat head with hex recess











The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The hexagon recess head design is the most common.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
522KT				●		●				●
563A0						●	●		●	●
563C1						●	●		●	●
563C3						●	●		●	●
593A0						●	●		●	●
594A0						●	●		●	●
594A5						●	●		●	●
596A0						●	●		●	●


	Materials					Assembling			Quality	
										
596A5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
602A6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
608A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
608A5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
659A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
666A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
669A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

d

dk


s

522KT06000


M6

15


4



article	b	d	dk	ds	k	l	s	pilothole
563A006010	5	M6	15	9	2	10	5	9
563A006012	7	M6	15	9	2	12	5	9
563A006015	10	M6	15	9	2	15	5	9
563A006018	13	M6	15	9	2	18	5	9




article	b	d	dk	ds	k	l	s	pilothole
563C105015	10	M5	14,5	7	2	15	5	7





article	b	d	dk	ds	k	l	s	pilothole
563C305009	6	M5	15	9	2	9	4	9
563C306010	5	M6	15	9	2	10	4	9
563C306012	7	M6	15	9	2	12	4	9
563C306015	10	M6	15	9	2	15	4	9
563C306018	13	M6	15	9	2	18	4	9







article	b	d	dk	ds	k	l	s	pilothole
593A00811M	7	M8	17	10	2	11,5	5	10




article	b	d	dk	ds	k	l	s	pilothole
594A008016	11	M8	19	10	2,5	16	5	10



article	b	d	dk	ds	k	l	s	pilothole
594A508015	10,5	M8	18	10	2	15	5	10
594A50813M	9	M8	18	10	2	13,5	5	10



article	b	d	dk	ds	k	l	s	pilothole
596A006016	11	M6	19,5	9	2,5	16	5	9
596A006032	20	M6	19,5	9	2,5	32	5	9



article

b

d

dk

ds

k

l

s

pilothole

596A506013

8

M6

18


9

2


13

5


9



article	b	d	dk	ds	k	l	s	pilothole
602A610018	12	M10	22,5	13	2	18	6	13




article	b	d	dk	ds	k	l	s	pilothole
608A006012	7	M6	15	8	2	12	4	8
608A006015	10	M6	15	8	2	15	4	8




article	d	dk	ds	k	l	s	pilothole
608A506009	M6	12	7,8	2	9	4	8






article	b	d	dk	ds	k	l	s	pilothole
659A006016	11	M6	19,5	8	2	16	4	8



article	d	dk	ds	k	l	s	pilothole
666A01009M	M10	22	13	3	9,5	10	13








article	b	d	dk	ds	k	l	s	pilothole
669A008018	14	M8	20	12	2,5	18	6	12






## Sleeve nut : Flat head with Pz - Ph recess











The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
635A0						•	•		•	•
639A0						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	l	pzd	pilothole
635A006015	9	M6	10,5	8	15	3	8
635A006020	12,5	M6	10,5	8	20	3	8



article	b	d	dk	ds	k	l	pzd	pilothole
639A008015	12	M8	15	10	4	15	3	10
639A008020	17	M8	15	10	4	20	3	10













## Sleeve nut : Flat head with slot recess











The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The slot recess tool is the most diffused among consumers.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
609A0						•	•		•	•
614A0						•	•		•	•
653A0						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	k	l	pilothole
609A00813M	10	M8	15	10	2,5	13,5	10



article	b	d	dk	ds	k	l	pilothole
614A008014	10,5	M8	20	10	2,5	14	10








article	b	d	dk	ds	k	l	pilothole
653A006009	7	M6	12	8	2	9	8
653A006012	8,5	M6	12	8	2	12	8
653A006015	10,5	M6	12	8	2	15	8






## Sleeve nut : Round head











The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The smooth head can be used as a design feature for improved aesthetics.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
607A0						•	•		•	•
607C5						•	•		•	•
607L6						•	•		•	•
607P3						•	•		•	•
673A0						•	•		•	•
675A0						•	•		•	•
983A0						•	•		•	•




Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	k	l	pilothole
607A004008	6	M4	9	6	1,5	8	6
607A004010	8	M4	9	6	1,5	10	6
607A006010	7,5	M6	15	8	3,5	10	8



article	b	d	dk	ds	k	l	pilothole
607C506015	13	M6	16	8	3	15	8



article

b

d

dk

ds

k

l

pilothole

607L604010

7

M4


10

5


1,5

10


5




article	d	dk	ds	k	l
607P304007	M4	10	4,9	1,6	7



article	b	d	dk	ds	k	l
673A00406M	4	M4	8	6,2	1	6,5



article	b	d	dk	ds	k	l
675A005007	5	M5	14,5	7,2	1,8	7



article	b	d	dk	ds	k	l	pilothole
983A006010	5	M6	14	9	2,6	10	8













## Sleeve nut : Round head with hex recess











The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The hexagon recess head design is the most common.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic








-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
564A0						•	•		•	•
564C3						•	•		•	•
595A0						•	•		•	•
595D1						•	•		•	•
597A0						•	•		•	•
602A0						•	•		•	•
603H9						•	•		•	•
628A0						•	•		•	•


	Materials					Assembling			Quality	
										
629A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
637A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
662A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	k	l	s	pilothole
564A006010	5	M6	15	9	3	10	5	9
564A006012	7	M6	15	9	3	12	5	9
564A006015	10	M6	15	9	3	15	5	9
564A006018	13	M6	15	9	3	18	5	9



article	b	d	dk	ds	k	l	s	pilothole
564C306012	7	M6	15	9	3	12	4	9
564C306015	10	M6	15	9	3	15	4	9
564C306018	13	M6	15	9	3	18	4	9




article	b	d	dk	ds	k	l	s	pilothole
595A008014	9,5	M8	20	10	3	14	5	10
595A008016	12	M8	20	10	3	16	5	10
595A008020	15	M8	20	10	3	20	5	10




article	b	d	dk	ds	k	l	s	pilothole
595D108020	12	M8	20	10	3	20	6	10







article	b	d	dk	ds	k	l	s	pilothole
597A006016	11	M6	20	9	3	16	5	9
597A006020	15	M6	20	9	3	20	5	9



article	b	d	dk	ds	k	l	s	pilothole
602A010013	9	M10	20	13	4	13	5	13




article	b	d	dk	ds	k	l	s	pilothole
603H905013	8,5	M5	12	6,5	2	13	4	6,5





article	b	d	dk	ds	k	l	s	pilothole
628A006012	7,5	M6	15	8	3	12	4	8



article	b	d	dk	ds	k	l	s	pilothole
629A006010	6	M6	13	8	3	10	5	8



article	b	d	dk	ds	k	l	s	pilothole
637A006012	7	M6	15	8	3	12	5	8
637A006015	11	M6	15	8	3	15	5	8
637A006020	17	M6	15	8	3	20	5	8



article	b	d	dk	ds	k	l	s	pilothole
662A010016	11,5	M10	30	14	4	16	6	14






## Sleeve nut : Round head with slot recess






The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The slot recess tool is the most diffused among consumers.













Scan QR code for more information












-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
615A0						●			●	●
974A0						●			●	●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	k	l	pilothole
615A008014	10,5	M8	20	10	3	14	10








article	b	d	dk	ds	k	l	pilothole
974A006012	9	M6	14,5	8	3,5	12	8






## Sex bolts : CSK head











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The CSK head design allows it to remain flush with the surrounding surface.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
530A0						•	•		•	•
531A0						•	•		•	•
567P0						•	•		•	•
622L3						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	l	pilothole
530A006029	8,3	M6	12	8	29	8






article	b	d	dk	ds	k	l	pilothole
531A005035	12	M5	12	7	3	35	7



article	b	d	dk	ds	l	lg	pilothole
567P004030	15	M4	9	5	30	22	5








article	b	d	dk	ds	q	pilothole
622L304026	14,5	M4	7,5	5	26	5






## Sex bolts : CSK head with P2 - Ph recess











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The CSK head design allows it to remain flush with the surrounding surface.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
622A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
622E2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	pzd	q	pilothole
622A004015	8,5	M4	7,5	5	2	15	5
622A004017	10,5	M4	7,5	5	2	17	5
622A004018	11,5	M4	7,5	5	2	18	5
622A004020	13,5	M4	7,5	5	2	20	5
622A004026	14,5	M4	7,5	5	2	26	5
622A004030	14,5	M4	7,5	5	2	30	5
622A004035	14,5	M4	7,5	5	2	35	5



article	b	d	dk	ds	pzd	q	pilothole
622E204015	9,5	M4	7,5	5	2	15	5
622E204017	10,5	M4	7,5	5	2	17	5
622E204018	11,5	M4	7,5	5	2	18	5
622E204020	13,5	M4	7,5	5	2	20	5
622E204026	14,5	M4	7,5	5	2	26	5
622E204030	14,5	M4	7,5	5	2	30	5
622E204035	14,5	M4	7,5	5	2	35	5













## Sex bolts : Flat head











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The smooth head can be used as a design feature for improved aesthetics.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
555L3						•	•		•	•
636A6						•	•		•	•
647C8						•	•		•	•
803A0			•	•	•		•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	k	q	pilothole
555L306020	14,5	M6	14	8	2	20	8



article

b

d

dk

ds

k

l

pilothole

636A60408M

5,8

M4

10

5

1

8,5

5



article

b

d

dk

ds

k

l

647C805025

14


M5

14,5

6,2

2,5

25



article	d	dk	ds	k	l	pilothole
803A005026	M5	9,2	6	0,8	26	6






## Sex bolts : Flat head with hex recess






The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function.













Scan QR code for more information












-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
555A6						•	•		•	•
555G8						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	k	l	p	s	pilothole
555A606042	20	M6	15	8	2,5	41,4	29	4	8








article	b	d	dk	ds	k	l	s	pilothole
555G805039	15	M5	13	8	2	39	4	8
555G805044	15	M5	13	8	2	44	4	8
555G805050	15	M5	13	8	2	50	4	8






## Sex bolts : Flat head with P2 - Ph recess











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The discrete head can be used to reduce the visual impact for improved aesthetics.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
497A0	●	●				●	●		●	●
497ST	●	●				●			●	●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	k	l	pzd	pilothole
497A004015	10	M4	10	5	1,5	15	2	5
497A004028	14,50	M4	10	5	1,5	28	2	5
497A004030	14,50	M4	10	5	1,5	30	2	5





article

pzd

pilothole

497ST28015

2






5






## Sex bolts : Oval head with P2 - Ph recess











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The discrete head can be used to reduce the visual impact for improved aesthetics.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
503A0						•	•		•	•
503F9						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	pzd	q	pilot hole
503A004015	10,5	M4	7,5	5	2	15	5








article	b	d	dk	ds	ph	q	pilothole
503F904015	9,5	M4	7	5	2	15	5
503F904020	14,5	M4	7	5	2	20	5






## Sex bolts : Oval head with slot recess











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The discrete head can be used to reduce the visual impact for improved aesthetics.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
800H9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>




Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.








article	b	d	dk	ds	l	pilothole
800H904015	10,5	M4	7,2	5	15	5
800H904020	14,5	M4	7,2	5	20	5
800H904025	19,5	M4	7,2	5	25	5






## Sex bolts : Round head











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The smooth head can be used as a design feature for improved aesthetics.



Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
800E0						•	•		•	•
800E9						•	•		•	•
802A0			•	•	•	•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	l
800E004015	10	M4	7,2	5	15
800E004020	11	M4	7,2	5	20



article

cq

d

dk

ds

l

800E904020


5

M4

7

5

20



article	b	cq	d	dk	ds	k	l
802A004020	16	6,3	M4	11	6	2	20













## Sex bolts : Round head with Pz - Ph recess











The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The round head with Pz - Ph recess offers the most variety in design and lengths.



Scan QR code for more information

-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
501A0	●	●				●	●		●	●
555A0						●	●		●	●
555E2						●	●		●	●
555ST	●	●	●		●	●			●	●
565A0						●	●		●	●
565C5						●	●		●	●
565E2						●	●		●	●
616A0						●	●		●	●

## Materials


## Assembling







## Quality

636A0


									
									

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	k	l	p	pilothole
501A004027	14,5	M4	10	5	2	27	17,5	5
501A004030	14,5	M4	10	5	2	30	17,5	5



article	b	d	dk	ds	k	l	pzd	pilothole
555A006020	14,5	M6	15	7,8	3,5	20	3	8
555A006025	15	M6	15	7,8	3,5	25	3	8
555A006031	15	M6	15	7,8	3,5	31	3	8
555A006038	15	M6	15	7,8	3,5	38	3	8



article	b	d	dk	ds	k	l	pzd	pilothole
555E206012	6,5	M6	15	7,8	3,5	12	3	8
555E206015	9,5	M6	15	7,8	3,5	15	3	8
555E206020	14,5	M6	15	7,8	3,5	20	3	8



article

pzd


pilothole

555ST31014


3

8







article	b	d	dk	ds	k	l	pilothole
565A004015	9,5	M4	10	5	2,5	15	5
565A004020	14	M4	10	5	2,5	20	5
565A004025	14,5	M4	10	5	2,5	25	5
565A004027	14,5	M4	10	5	2,5	27	5
565A004030	14,5	M4	10	5	2,5	30	5
565A004035	14,5	M4	10	5	2,5	35	5




article	b	d	dk	ds	k	l	pilothole
565C504015	10	M4	11	5	2,5	15	5



article	b	d	dk	ds	k	l	pilothole
565E204010	6	M4	10	5	2,5	10	5
565E204020	14,5	M4	10	5	2,5	20	5
565E204025	14,5	M4	10	5	2,5	25	5
565E204035	14,5	M4	10	5	2,5	35	5
565E20409M	6	M4	10	5	2,5	9,5	5
565E20413M	10,5	M4	10	5	2,5	13,5	5
565E20414M	10,5	M4	10	5	2,5	14,5	5



article	b	combi_ph	d	dk	ds	k	l	pilothole
616A006014	9	3	M6	13	8	3	14	8



article

d

dk

ds

k

l

pzd

pilothole

636A00414M

M4

8,5

5

2


14,5

2






5






## Adjustable feet : Hollow screws











The MAURI hollow screws are a smart way to connect levelers to kitchen base cabinets.




Scan QR code for more information







-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
578A0						•				•
578C5						•				•
578M8						•				•
579A0						•				•


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d	dk	ds	k	l	lg	s
578A010032	M10	16	10	3	32	9	6
578A010040	M10	16	10	3	40	9	6



article	d	dk	k	l
578C510016	M10	21	2	16



article

d

dk

k

l

lg

s

578M810035

MB10


12

1,2

35

8

6








article	d	dk	ds	k	l	lg	s
579A010032	M10	16	10	3	32	9	6






## Adjustable feet : Levelers











MAURI's wide range of levelers means you can find the solution that best fits your need. The range consists of different sizes, lengths, and models with the common scope of providing stability and easy regulation. Some solutions come pre-assembled with a knock down insert nut.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
290G0						•	•			•
290G2						•	•			•
290N2						•	•			•
290ND						•	•			•
290R4						•	•			•
300G0						•	•			•
30110						•	•			•
301G0						•	•			•

	Materials					Assembling			Quality	
										
303N2						•	•			•
30410						•	•			•
304G0						•	•			•
30643						•	•			•
30644						•	•			•
30654						•	•			•
30655						•	•			•
310G0						•	•			•
604G6						•	•			•
645G0						•	•	•	•	•
645GD						•	•	•	•	•
710G0						•	•			•
72011						•	•			•
720G0						•	•			•


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d	l	pzd	q
290G008030	M8	30	2	35
290G008035	M8	35	2	40
290G008040	M8	40	2	45
290G008045	M8	45	2	50
290G008050	M8	50	2	55
290G008060	M8	60	2	65
290G008070	M8	70	2	75
290G008080	M8	80	2	85
290G008090	M8	90	2	95
290G008100	M8	100	2	105



article	cq	d	dk	ds	l	q
290G208030	8	M8	20	10	30	35
290G208050	8	M8	20	10	50	55
290G208070	8	M8	20	10	70	75
290G208080	8	M8	20	10	80	85
290G208100	8	M8	20	10	100	105



article

cq

d

dk

l

q

290N208035


8

M8

19

35

40



article

cq

d

dk

l

q

290ND08070


8

M8

19

70

75



article

cq

d

dk

l

q

290R408030


8

M8


17

30


35



article	d	dk	l	q
300G006015	M6	21	22	15
300G006020	M6	21	27	20
300G006025	M6	21	32	25
300G008022	M8	28	30	22
300G008038	M8	28	46	38
300G010025	M10	32	34	25



article	d	dk	l
301G008030	M8	33	30
301G008040	M8	33	40
301G008050	M8	33	50
301G008060	M8	33	60
301G008070	M8	33	70
301G008080	M8	33	80
301G008090	M8	33	90
301G010040	M10	33	40
301G010050	M10	33	50
301G010060	M10	33	60
301G010070	M10	33	70
301G010080	M10	33	80
301G010090	M10	33	90
301G010100	M10	33	100



article

cq

d

dk

l

q

303N208120

8


8M

19


120

125






article	d	dk	l	s
304G008040	M8	33	40	4
304G008045	M8	33	45	4
304G008050	M8	33	50	4
304G008060	M8	33	60	4
304G008065	M8	33	65	4
304G010032	M10	33	32	4
304G010040	M10	33	40	4
304G010060	M10	33	60	4
304G010070	M10	33	70	4
304G010080	M10	33	80	4
304G010085	M10	33	85	4
304G010100	M10	33	100	4



article	d	l	pzd	q
310G008025	M8	25	2	30



article

d

ds

l

s

pilothole

604G600000


M6

8


15

12


8



article	d	ds	l	s
645G006025	M6	8	14	12



article	d	ds	l	s
645GD06025	M6	9	14	12



article

d

l

pzd

q

s

710G008059


M8

63


2

59

10




article	d	l	q	s
720G010056	M10	42	56	10
720G010100	M10	86	100	10




article	d	q
3011008040	M8	40
3011008050	M8	50
3011008060	M8	60
3011008070	M8	70
3011008080	M8	80
3011008090	M8	90
3011008100	M8	100
3011008110	M8	110
3011008120	M8	120
3011010040	M10	40
3011010060	M10	60
3011010070	M10	70
3011010080	M10	80
3011010090	M10	90
3011010100	M10	100





article	d	l	s
3041008040	M8	40	4
3041008050	M8	50	4
3041008060	M8	60	4
3041010032	M10	32	4
3041010060	M10	60	4
3041010070	M10	70	4
3041010080	M10	80	4
3041010100	M10	100	4
3041010120	M10	120	4



article


d

s

3064308060

M8

4



article


d

s

3064408060

M8

4




article

d

l

3065408110	M8	110
3065408120	M8	120




article

d

l

3065508110	M8	110
3065508120	M8	120



article

d

l

q

s

7201110046

M10

32

46






4






## Adjustable feet : Pins for adjustable feet











MAURI's wide range of levelers means you can find the solution that best fits your need. Pins can be coupled together with a plastic component to complete the leveler.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
291A0						•	•			•
310A0						•	•			•
654A0						•	•			•
654A2						•	•			•
725A0						•	•			•
727A0						•	•			•
730A0						•	•			•




Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

d

ds

k

q

s

291A008072


M8

8

3,5

72

10



article

d

dk

l

pzd

s

310A008022


M8

16


22

2

4



article	b	d	ds	l	s
654A008027	18	M8	9,5	27	4
654A008040	29	M8	9,5	40	4



article

b

d

ds

q

s

654A208055


30

M8

9,5

55

4



article

d

ds

l

lg

s

725A012070


M12

11,8


70

13

13



article	d	dk	l	s
727A006026	M6	6,5	26	10



article	d	dk	k	l	s
730A008025	M8	19,5	4	25	4
730A008030	M8	19,5	4	30	4
730A008040	M8	19,5	4	40	4
730A008065	M8	19,5	4	65	4













## Bushings : Insert for plastic











The MAURI inserts for plastic can be immersed in the plastic part in order to have a resistant inner thread. All models have characteristics to prevent rotation and extraction.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
111A0			●		●	●	●		●	●
323A0			●		●	●	●	●	●	●
330A0										
331P3						●	●		●	●
333A0						●	●		●	●
695A6						●	●	●	●	●
695C1						●	●	●	●	●
695Q4						●	●	●	●	●


	Materials					Assembling			Quality	
										
696A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
696Q4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
985A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article


d

111A006010 M6


111A008010 M8



article	b	d	diam	dk	k	l	s
323A004010	6,5	M4	5,6	8	2,5	10	4




article	d	diam	dk	l
330A00815M	M8	11,5	13	15,5




article	b	dk	ds	k	l
331P310016	8	21	10	2	16
331P310022	11	21	10	2	22





article	b	dk	ds	l	p	q
333A010014	6	24	10	17	11,5	14
333A010022	14	24	10	25	19,5	22



article

b

d

dk

k

q

s

695A608026

21

M8

16

1,5

26

10

695A608030

26

M8

16


1,5

30

10



article	b	d	dk	k	l	s
695C108027	26	M8	16	5,5	27	10
695C108030	26	M8	14	5,5	30	10



article

b

d

dk

k

l

s

695Q408030

26


M8x1

14

5,5

30

10



article

b

d

dk

k

l

s

696A008030

26


M8

13,8

3,5

30

10



article

b

d

dk

k

l

s

696Q408030

26


M8x1

13,8

3,5

30

10



article	b	d	dk	ds	l	q	pilothole
985A005017	12	M5	10,5	8,8	14	17	9
985A006017	12	M6	10,5	8,8	14	17	9
985A006021	16	M6	10,5	8,8	18	21	9
985A008017	12	M8	13	11	14	17	11
985A008021	16	M8	13	11	18	21	11
985A010021	16	M10	14,5	13	18	21	13






## Bushings : Inserts for pipe






The MAURI inserts for pipes allow for pipes to have a calibrated hole, making them compatible to connect to other components. Our research and development team is here to help you design and create complex parts through unique solutions.













Scan QR code for more information












-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
321A0				●					●	●
680A0				●					●	●

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

dk

ds


l

321A024018

24

11,2


18








article	dk	ds	q
680A022028	22	19	28






## Bushings : Pipes studs











The MAURI pipe studs allows for pipes to have an inner thread, making them compatible to connect to other components. Our research and development team is here to help you design and create complex parts through unique solutions.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
340A0						•	•		•	•
352A1						•	•		•	•
505A0						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	cq	d	dk	ds	k	l
340A00612M	8	M6	11	9	1,5	12,5
340A008013	11	M8	15	11,8	2	13





article	d	ds	l
352A106011	M6	12,2	11,5
352A110015	M10	17,5	15








article	cq	d	dk	ds	k	l
505A006014	8	M6	12	8	2	14






## Bushings : Riveting bushes











The MAURI riveting bush is able to be used for riveting a rotating mechanism in place. This may be in the form of wheels or slide mechanisms. Our research and development team is here to help you design and create complex parts through unique solutions.



Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
335A0						•	•		•	•
342A0						•	•		•	•
343A0						•	•		•	•
344A0						•	•			•
346A0						•	•			•
375A0				•			•	•	•	•
957A0						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	dk	ds	k	l
335A015515	20	15,5	4,5	15




article	dk	ds	k	l
342A012010	25	16	8	10




article	dk	ds	k	l
343A01009D	22	13,9	8,8	9,2
343A01210M	22	14,9	7,5	10,5
343A017010	22	16,9	10	10







article	dk	k	l	q
344A00902M	11,5	2	3,5	2,5



article	dk	k	l	q
346A00602D	10	2	4	2,7



article	d	diam	ds	l	p	q
375A004014	M4	4	7	14	6	10,5
375A00416M	M4	4	7	16,5	11	13








article	dk	ds	k	l
957A011028	15	10,6	2,2	28






## Bushings : Special shape











The MAURI research and development team is here to help you design and create complex parts through unique solutions.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
183A0				•			•			•
183D7				•			•			•
188A0				•			•			•
189A0				•			•			•
196A0				•			•			•
196D7				•			•			•
375A0				•			•	•		•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		5 Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

dk

ds

k

l

q

183A01909M

25


19,5

2,5

9,5

5





article


diam

l

183D719026

19

26



article

diam

l

s

t\_min


188A019055

19

55

6

5



article

d

dk

ds

k

l

s

189A019031

15


25

19

2,5

31

4,2



article

dk

ds


l

196A019016

25

19

16



article

dk

ds


l

196D716016

25

16

15








article	d	diam	ds	l	p	q
375A011016	7,5	6	11	16	13	12,5






## Bushings : Table pins











The MAURI table pins have a locating function to always have perfect alignment. The most common application is alignment of the tops of sliding tables.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
405A0	•	•				•				•
405B4	•	•				•				•





Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

dk

l


p

405A006011

8,1

11

10








article	dk	ds	l	lg	q
405B406011	8,1	5,9	20	9	11






## Bushings : Welded bushings











The MAURI bushings can be welded create connection points. Applications may be within office chairs, sheet metal parts, metal pipe connections. Our research and development team is here to help you design and create complex parts through unique solutions.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
612A0				•		•	•	•	•	•
612C1				•		•	•	•	•	•
612D4				•			•	•	•	•
683A0				•			•	•		•
684A0				•			•	•		•
911A0				•			•	•	•	•
930A0				•		•	•		•	•
930E0				•		•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		5 Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	k	l
612A004012	7,5	M4	7	5,6	1,7	12
612A004016	10,5	M4	7	5,6	1,7	16




article	b	d	dk	ds	k	q
612C104012	7	M4	8	5,6	2,5	12
612C104016	11	M4	8	5,6	2,5	16





article	b	d	dk	ds	q
612D404008	4	M4	7	5,6	8
612D404012	7,5	M4	7	5,6	12
612D404016	10,5	M4	7	5,6	16



article


ds

q

683A013026

13

26



article


ds

l


684A016028

16,5


27,5



article	b	d	dk	ds	k	q
911A010020	12	M10	16	13,5	4	20



article	d	dk	ds	q
930A006014	M6	11	9	14








article	d	dk	ds	k	l
930E006014	M6	11	9	1,5	14






## Hex key : L shape hardened











The MAURI hexagon key is the perfect assembly tool because it is easy and safe to use, even for inexperienced users. The quality and consistency of the hardening is guaranteed by process controls and our internal quality laboratory.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
566C8						•				•
566F3						•				•




Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	a	b	ds	s
566C820000	54	18	2,35	2
566C825000	54	18	2,8	2,5
566C830000	60	22	3,36	3
566C840000	66	28	4,5	4
566C850000	76	31	5,65	5



article

a

b

ds

s

566F336086

86

36

6,75






6






## Hex key : L shape not hardened











The MAURI hexagon key is the perfect assembly tool because it is easy and safe to use, even for inexperienced users. The quality is guaranteed by process controls and our internal quality laboratory.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
566A0						•				•
566P6						•				•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

a

b

ds

s


566A080000

96

44

9,05

8



article	a	b	ds	s
566P628072	72	28	3,36	3
566P643070	70	43	3,36	3













## Hex key : Z shape hardened











The MAURI hexagon key is the perfect assembly tool because it is easy and safe to use, even for inexperienced users. The quality and consistency of the hardening is guaranteed by process controls and our internal quality laboratory.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
624C8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.








article	a	b	ds	s
624C830000	46	19	3,45	3
624C840000	48	20	4,48	4
624C850000	48	22	5,58	5






## Connecting fittings : 180 degrees pilot hole 35 mm











MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 180 degrees connections designed for pilot hole 35mm. can be used for worktops or for wardrobe doors.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
66115		•	•	•	•	•		•		•
66140						•				
661A0		•	•	•	•	•	•		•	•
66501		•	•	•	•	•	•	•		•
665A0		•	•	•	•	•	•		•	•
665C4				•		•	•			•
665G0	•	•				•				•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	dk	ds	k	l
661A006024	18	M6	14	8	9	24






article	d	dk	l	s
665A006017	M6	12	17	10



article	b	cq	d	dk	k	l	ph
665C406065	55	6	M6	11	3	65	2
665C406120	95	6	M6	11	3	120	2
665C406130	95	6	M6	11	3	130	2
665C406150	95	6	M6	11	3	150	2



article

b

l

ph

665G006065

55

65


2

665G006150

95

150

2



article


c

diam

6611500000

2

5,3




article

a

b

661400000 57,50 44,50



article


c

6650130000






3






## Connecting fittings : 90 degrees pilot hole 15 mm











MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 15mm. can be used for corner joints and cabinet frames.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic






-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
150A0	•	•				•	•	•		•
166A0	•	•				•	•			•
175A0	•					•				•
175K1	•					•				•
178A0	•					•				•
24001	•	•	•	•	•	•				•




Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	dk	l
150A015009	15	12,7
150A01507M	15	11,4




article	diam	dk	ds	l	pzd	pilothole
166A006026	M6	6,60	7,6	26	2	8



article	diam	dk	ds	k	l	pzd
175A064011	6,4	6,5	6,9	3,5	29,8	2



article	diam	dk	ds	k	l	pzd
175K164011	6,4	6,5	6,9	3,5	19,8	2



article

d

dk

k

l

pzd

178A00607M


M6

6,5

3,5

29,80

2



article	dk	l	pilothole
2400115000	15	12	15
2400115018	15	15	15






## Connecting fittings : 90 degrees pilot hole 25 mm safe






MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees safe connections have 310° of rotation to ensure a secure connection that can resist dynamic loads.













Scan QR code for more information











-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
24001	●	●	●	●	●	●				●
24501	●	●	●	●	●	●	●	●		●

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article

dk

l

s

pilothole


2400125000

25

12

5

25








article	b	diam	dk	ds	l	pilothole
2450106033	9	M6	6,60	7	37,2	8






## Connecting fittings : 90 degrees pilot hole 30 mm











MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 30mm. can be used for corner joints and bed joints. To be used in combination with metal screws with cut head.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
30510	●	●				●				
51201	●	●				●				
62701	●	●				●	●			

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	diam	ds	l	pilothole
3051000000	29,5	7,3	14	30





article	diam	ds	l	pilothole
5120100000	29,3	6,3	12,7	30








article	a	b	diam	ds	pilothe
6270100030	25,4	17	30	6	30






## Connecting fittings : 90 degrees pilot hole 35 mm











MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 35mm. can be used for corner joints and bed joints. The large diameter provides a surface area to distribute load forces evenly.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
250A0	●	●	●	●	●	●	●			●
251A0	●	●				●			●	●
25510	●	●	●	●	●	●				●
255G0	●	●	●	●	●	●				●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	ds	k	l	pzd	pilothole
250A008052	15	M8	10,5	4	52	2	11
250A008064	27	M8	10,5	4	64	2	11
250A008084	45	M8	10,5	6	84	2	11



article


q

pilothole

251A008024


24

11



article	b	k	l	pilothole
255G008052	15	4	52	35
255G008064	27	4	64	35
255G008084	45	6	84	35





article

s

pilothole

2551035000

6






35






## Connecting fittings : 90 degrees pilot hole 35 mm safe











MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees safe connections have 310° of rotation to ensure a secure connection that can resist dynamic loads. The large diameter provides a surface area to distribute load forces evenly.




Scan QR code for more information







-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
165A0	•	•	•	•	•	•	•			•
24001	•	•	•	•	•	•				•
24501	•	•	•	•	•	•	•	•		•
24901	•	•				•	•			•
452A0	•	•				•				•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	diam	dk	ds	l	pzd	pilothole
165A008011	M8	7,7	8,5	46,5	2	9



article	b	cq	diam	dk	ds	k
452A066061	30	6	6,6	7,7	7,9	2,5



article

dk

l

s

pilothole


2400135000

35

16


6

35



article	b	diam	dk	ds	l	pilothole
2450106035	9	M6	7,75	8,4	37,2	9
2450106055	9	M6	7,75	8,4	57,2	9
2450108035	11	M8	7,75	8,4	39,2	9
2450108055	11	M8	7,75	8,4	59,2	9











article	b	diam	ds	l	pilothole
2490120206	10	M6	7	20	8






## Connecting fittings : 90 degrees pilot hole 40 mm











MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 40mm. can be used for corner joints and bed joints. To be used in combination with metal screws with cut head.




Scan QR code for more information







-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
50401	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.








article	diam	k	pilothole
5040100000	8	9	40






## Rivet nut : Office chairs brackets rivets











MAURI's office chair bracket rivets are used to connect armrests to the base frame of the office chair. A minimum of two parts are necessary to connect each armrest.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
668A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>


Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.










article	dk	ds	k	l
668A073019	11	7,3	2	19
668A073021	11	7,3	2	21






## Rivet nut : Top Nut rivet autopiercing











Once inserted, MAURI's rivets for wood materials create the main anchor points that permit the connection of additional components and assembly. The rivet nut has the advantage that it contains the panel from both sides and will not become loose under pressure. The autopiercing characteristic means that no pre-drilling is required prior to insertion.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
646A0	●	●					●	●	●	●
646P0	●	●					●	●	●	●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	d	dk	ds	k	l	p
646A00510M	M5	17	8,55	3	10,5	6
646A00512M	M5	17	8,55	3	12,5	7,5
646A00514M	M5	17	8,55	3	14,5	8,5
646A00610M	M6	17	8,55	3	10,5	6
646A00612M	M6	17	8,55	3	12,5	7,5
646A00614M	M6	17	8,55	3	14,5	8,5
646A00616M	M6	17	8,55	3	16,5	9,5








article	d	dk	ds	k	l	p
646P00509M	M5	15	8,55	3,3	9,5	5






## Rivet nut : Top Nut rivet pre drilled hole











Once inserted, MAURI's rivets for wood materials create the main anchor points that permit the connection of additional components and assembly. The rivet nut has the advantage that it contains the panel from both sides and will not become loose under pressure.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
667A0	●	●	●	●	●		●	●	●	●
671A0										
690A0	●	●					●	●	●	●




Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	k	l	p	pilothole
667A004010	4	M4	12	6,5	1	10	7	6,5
667A005008	4	M5	12	6,5	1	8	5	6,5
667A005010	4	M5	12	6,5	1	10	7	6,5
667A00506M	4	M5	12	6,5	1	6,5	3,5	6,5



article	d	dk	ds	k	l	p
671A00610M	M6	15	8	11	10,5	7,5
671A00612M	M6	15	8	1	12,5	7,5
671A00614M	M6	15	8	1	14,5	8,5
671A00616M	M6	15	8	1	16,5	9,5








article	d	dk	k	l	p	s	pilothole
690A006010	M6	15	2	10	6	8,5	8,5
690A006012	M6	15	2	12	7	8,5	8,5
690A006014	M6	15	2	14	8	8,5	8,5
690A006016	M6	15	2	16	9	8,5	8,5
690A010023	M10	22	2,2	23	11	12,8	13






## Spacers : With hole











MAURI's spacers allow to maintain a constant distance between objects. Spacers may have multiple diameters to contain counterparts. Our research and development team is here to help you design and create complex parts through unique solutions.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
945A0						•				•
946A0						•				•
946B5						•				•
947A0						•				•
948A0						•				•
948B4						•				•
949A0						•				•
950A0						•				•

	Materials					Assembling			Quality	
										
950B5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
950Q7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
951A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	dk	ds	l	p
945A014014	14	6,5	14	6
945A018018	18	6,5	18	6



article	dk	ds	l
946A012018	12	9	18
946A014014	14	6,1	14




article	dk	ds	l
946B514020	14	8,1	20
946B514035	14	8,1	35
946B514046	14	8,1	46
946B514047	14	8,1	47
946B514050	14	8,1	50



article	d	ds	l
947A004014	M4	5	14
947A010017	6,4	17	10
947A010018	6,4	18	10



article	dk	ds	l
948A011011	11	6,4	11
948A08008M	8	4,8	8,5



article

dk

ds


l

948B480010


8

4,5

10




article	dk	ds	l
949A01830D	17,8	8,2	30,4




article	dk	ds	l
950A010009	10	7,5	9
950A012014	12	5	14
950A016027	16	11,2	27
950A01829D	17,8	8,1	29,7
950A01829M	17,8	8,2	29,5
950A01832M	17,8	8,2	32,5
950A020020	20	8,1	20
950A090009	9	5	9
950A090010	9	5	10






article	dk	ds	l
950B520031	20	8,1	31
950B52028D	20	8,1	28,8



article	dk	ds	l
950Q71828D	17,8	8,2	28,8
950Q71829M	17,8	8,2	29,5
950Q71830M	17,8	8,2	30,5
950Q71832M	17,8	8,2	32,5








article	dk	ds	l
951A020021	20	8,1	21
951A02020D	20	8,1	20,1






## Spacers : With internal hex











MAURI's spacers allow to maintain a constant distance between objects. Spacers may have multiple diameters to contain counterparts. Our research and development team is here to help you design and create complex parts through unique solutions. The hexagon recess facilitates the tightening action.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
623A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	ds	s
623A010013	6	M6	10	5
623A010016	9	M6	10	5
623A010017	10	M6	10	5
623A010018	11	M6	10	5
623A010020	13	M6	10	5
623A010023	15	M6	10	5
623A010026	15	M6	10	5
623A010030	15	M6	10	5
623A010038	15	M6	10	5






## Assembling screws : Flat head with hex recess






The assembling screws by MAURI are one of the company's historic products. They allow fast cabinet assembly and are available in a variety of lengths and sizes. All have in common an underhead area specifically designed to provide maximum support to minimize wood deterioration over time.























Scan QR code for more information




-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic






-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
409A0	•	•				•	•			•
416A0	•	•				•	•			•
416B0	•	•				•	•			•
433A0	•	•				•	•			•
470A0	•	•				•	•			•
509A0						•	•			•
509L1						•	•			•
513A0						•	•			•


	Materials					Assembling			Quality	
										
553A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
657A0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	diam	dk	ds	p	q	s
409A070037	28,5	7	10	7	6	37	4
409A070040	31,5	7	10	7	6	40	4
409A070045	36,5	7	10	7	6	45	4
409A070050	41,5	7	10	7	6	50	4




article	b	diam	dk	ds	p	q	s
416A063038	29,5	6,3	10	7	6	38	4
416A063040	31,5	6,3	10	7	6	40	4
416A063050	41,5	6,3	10	7	6	50	4
416A070030	21,5	7	10	7	6	30	4
416A070038	29,5	7	10	7	6	38	4
416A070040	31,5	7	10	7	6	40	4
416A070045	36,5	7	10	7	6	45	4
416A070050	41,5	7	10	7	6	50	4
416A070060	48	7	10	7	6	60	4
416A070070	58	7	10	7	6	70	4



article	b	diam	dk	ds	p	q	s
416B070040	31,5	7	10	7	6	40	4
416B070050	41,5	7	10	7	6	50	4
416B070060	48	7	10	7	6	60	4




article	b	diam	dk	ds	q	s
433A063040	31,5	6,3	10	7	40	4
433A063050	41,5	6,3	10	7	50	4
433A070030	21,5	7	10	7	30	4
433A070040	31,5	7	10	7	40	4
433A070050	41,5	7	10	7	50	4
433A070060	48	7	10	7	60	4
433A070070	58	7	10	7	70	4



article	b	diam	dk	ds	p	q	s
470A063050	35	6,3	8,5	5	6	50	3





article

b

d

dk

ds

p

q

s

509A006050

38

M6


10

7


6

50


4




article	b	diam	dk	ds	q	s
509L170050	39	7	12	7	50	4
509L170060	42	7	12	7	60	4
509L170070	52	7	12	7	70	4
509L170085	60	7	12	7	85	4
509L170100	75	7	12	7	100	4



article	b	diam	dk	ds	k	l	s
513A070030	23	7	15	7	2,5	30	4
513A070040	33	7	15	7	2,5	40	4
513A070050	40	7	15	7	2,5	50	4
513A070060	42	7	15	7	2,5	60	4
513A070070	52	7	15	7	2,5	70	4



article	b	diam	dk	ds	p	q	s
553A050030	22	5	7,5	5	6	30	3
553A050038	30	5	7,5	5	6	38	3
553A050040	32	5	7,5	5	6	40	3
553A050045	37	5	7,5	5	6	45	3
553A050050	42	5	7,5	5	6	50	3








article	b	diam	dk	ds	p	q	s
657A063050	40	6,3	10	7	6	50	4






## Assembling screws : Flat head with Pz - Ph recess











The assembling screws by MAURI are one of the company's historic products. They allow fast cabinet assembly and are available in a variety of lengths and sizes. All have in common an underhead area specifically designed to provide maximum support to minimize wood deterioration over time.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
416A8	•	•				•	•			•
470C2	•	•				•	•			•
510A0						•	•			•
553C2						•	•			•
657C1						•	•			•


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	diam	dk	ds	p	pzd	q
416A863040	31,5	6,3	10	7	6	3	40
416A863050	41,5	6,3	10	7	6	3	50
416A870030	21,5	7	10	7	6	3	30
416A870040	31,5	7	10	7	6	3	40
416A870050	41,5	7	10	7	6	3	50
416A870060	48	7	10	7	6	3	60
416A870070	58	7	10	7	6	3	70



article	b	diam	dk	ds	p	pzd	q
470C263050	35	6,3	8,5	5	6	2	50



article

b

diam

dk

l

ph

510A063040


30

6,3


8

40

2




article	b	diam	dk	ds	p	pzd	q
553C250030	22	5	7,5	5	6	2	30
553C250038	30	5	7,5	5	6	2	38
553C250040	32	5	7,5	5	6	2	40
553C250050	42	5	7,5	5	6	2	50








article	b	diam	dk	ds	q	s
657C163050	40	6,3	10	7	50	4






## Assembling screws : Round head with hex recess











The assembling screws by MAURI are one of the company's historic products. They allow fast cabinet assembly and are available in a variety of lengths and sizes. All have in common an underhead area specifically designed to provide maximum support while minimizing wood deterioration over time.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
513B3	•	•				•	•			•


Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.











article	b	diam	dk	ds	k	l	s
513B370040	33	7	15	7	3	40	4
513B370050	40	7	15	7	3	50	4
513B370060	42	7	15	7	3	60	4
513B370070	52	7	15	7	3	70	4






## Dowels : Wood thread











MAURI's dowels are the backbone of knock down furniture and are inserted directly into the furniture panel. Our research and development team is here to help you design and create your unique solutions.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
161A0	•	•				•	•			•
163A0	•					•				•
164A0	•					•				•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	diam	dk	ds	l	pzd
161A063030	6,3	5,90	7	24,8	2



article	diam	dk	ds	k	l	pzd
163A063011	6,3	5,9	6,9	3,2	12,6	2



article	diam	dk	ds	k	l	pzd
164A063008	6,3	5,9	6,4	3,2	30,3	2






## Wood screws : Euroscrews






MAURI offers euroscrews in a wide range of designs. Euroscrews are mainly used to attach fittings and accessories. Suitable for wood based panels.























Scan QR code for more information




-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
422A0	•	•				•	•			•
422A5	•	•				•	•			•
422A6	•	•				•	•			•
422A7	•	•				•	•			•
422C6	•	•				•	•			•
422E4	•	•				•	•			•
422K0	•	•				•	•			•
422P0	•	•				•	•			•


	Materials				Assembling			Quality		
										
422R9	•	•				•	•			•
424A0	•	•				•	•			•
447A0	•	•				•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	diam	dk	l	pzd	pilothole
422A063009	7	6,3	8	9	2	5
422A063010	8	6,3	8	10	2	5
422A063011	9	6,3	8	11	2	5
422A063013	11	6,3	8	13	2	5
422A063014	12,5	6,3	8	14	2	5
422A063015	12,5	6,3	8	15	2	5
422A063016	14	6,3	8	16	2	5




article	b	diam	dk	l	pzd	pilothole
422A563009	7	6,3	7,2	9	2	5
422A563010	9	6,3	7,2	10	2	5
422A563011	9	6,3	7,2	11	2	5
422A563013	11	6,3	7,2	13	2	5
422A563015	12,5	6,3	7,2	15	2	5



article	b	diam	dk	k	l	pzd	pilothole
422A663009	7,5	6,3	8,5	2	9	2	5
422A663010	9,5	6,3	8,5	2	10	2	5
422A663011	9,5	6,3	8,5	2	11	2	5
422A663013	11,5	6,3	8,5	2	13	2	5
422A663014	13	6,3	8,5	2	14	2	5
422A663016	14,5	6,3	8,5	2	16	2	5




article	combi_pzd	diam	dk	k	l	lg	pilothole
422A763008	2	6,3	9	2	8	1,5	5
422A763013	2	6,3	9	2	13	1,5	5



article	diam	dk	k	l	lg	pzd	pilot hole
422C663013	6,3	10,5	2,2	13	1,5	2	5





article

combi\_pzd

diam

dk

l

q

pilothole

422E46311M

2


6,3

8


11,5

13


5




article	diam	dk	l	pzd	pilothole
422K045010	4,5	6	10	2	3
422K063010	6,3	7,2	10	2	5




article	b	diam	dk	l	pzd	pilothole
422P063009	7	6,3	8	9	2	5
422P063011	9	6,3	8	11	2	5
422P063013	11	6,3	8	13	2	5
422P063014	12	6,3	8	14	2	5



article	b	diam	dk	k	l	ph	pilothole
422R96311M	9,5	6,3	9	3,3	11,5	2	5



article	diam	dk	k	l	lg	pzd	pilothole
424A060009	6	10	2,2	9	1,5	2	5
424A060013	6	10	2,2	13	1,5	2	5








article	diam	dk	k	l	pzd
447A068016	6,8	10	1,5	16	2
447A068020	6,8	10	1,5	20	2
447A068032	6,8	10	1,5	32	2






## Wood screws : Flat head with hex recess











MAURI's wood screws are designed for use directly in wood based panels. The wide head base distributes tightening pressure evenly.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
562A0	•	•				•	•			•
576B9	•	•				•	•			•




Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	diam	dk	k	l	s
562A055050	39	5,5	15	2,5	50	4
562A055060	39	5,5	15	2,5	60	4
562A063030	25	6,3	15	2,5	30	4
562A063040	35	6,3	15	2,5	40	4
562A063050	35	6,3	15	2,5	50	4
562A063060	35	6,3	15	2,5	60	4
562A063070	58	6,3	15	2,5	70	4
562A063080	58	6,3	15	2,5	80	4
562A063090	68	6,3	15	2,5	90	4
562A063100	68	6,3	15	2,5	100	4
562A063105	68	6,3	15	2,5	105	4
562A063110	68	6,3	15	2,5	110	4








article	b	diam	dk	ds	k	l	lg	s
576B963040	29	6,3	20	8,8	2,5	40	7,5	5
576B963050	39	6,3	20	8,8	2,5	50	7,5	5
576B963060	49	6,3	20	8,8	2,5	60	7,5	5






## Wood screws : Flat head with Pz - Ph recess











MAURI's wood screws are designed for use directly in wood based panels. The wide head base distributes tightening pressure evenly.




Scan QR code for more information







-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
415A0	●	●				●	●			●
601A0	●	●				●	●			●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	diam	dk	ds	k	l	pzd
415A055050	5,5	12,5	5,2	3,3	50	3



article	b	diam	dk	k	l	ph
601A068013	9	6,8	12	2,5	13	3
601A068016	12	6,8	12	2,5	16	3
601A068019	15	6,8	12	2,5	19	3
601A068023	19	6,8	12	2,5	23	3













## Wood screws : Hex head











MAURI's wood screws are designed for use directly in wood based panels. These screws have a metal thread inside the hexagon to allow for connection with other parts. May be used to support overhead structures in wood constructions. A hexagon socket is the preferred tool for installation.




Scan QR code for more information






-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
474A0	•	•				•	•		•	•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.








article	b	d	diam	k	l	s	pilot hole
474A006040	35	M6	6,3	16,5	40	10	5
474A006050	45	M6	6,3	16,5	50	10	5
474A006060	55	M6	6,3	16,5	60	10	5
474A008050	45	M8	6,3	16,5	50	10	5
474A008060	55	M8	6,3	16,5	60	10	5






## Wood screws : Hook screws











MAURI's hook screws are designed for hanging items onto walls. Cabinets, radiators and other items can be hung using a hook screw.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
585A0	●	●				●	●			●

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		5 Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	a	b	diam	ds
585A054050	50	17	5,4	5,3
585A054063	63	17	5,4	5,3
585A058060	60	17	5,8	5,7
585A058063	63	17	5,8	5,7
585A058080	80	17	5,8	5,7
585A063054	54	17	6,3	5,2













## Wood screws : Round head with hex recess











MAURI's wood screws are designed for use directly in wood based panels. The wide head base distributes tightening pressure evenly.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
514A0	●	●				●	●			●
514B9	●	●				●	●			●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	diam	dk	k	l	s
514A063050	35	6,3	15	3	50	4
514A063060	35	6,3	15	3	60	4
514A063070	58	6,3	15	3	70	4








article	b	diam	dk	k	l	s
514B963018	16	6,3	15	3,5	18	5
514B963030	28	6,3	15	3,5	30	5
514B963050	40	6,3	15	3,5	50	5
514B963065	58	6,3	15	3,5	65	5
514B963067	58	6,3	15	3,5	67	5
514B963070	58	6,3	15	3,5	70	5
514B963080	58	6,3	15	3,5	80	5






## **Metal screws : CSK head with hex recess**











MAURI's CSK head metal screws are designed to remain flush with the surface in which they are inserted. They can be suitable for non-metal applications when an insert nut is installed.




Scan QR code for more information







-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
426A0				•		•	•			•
426D2				•		•	•			•
426E0				•		•	•			•


Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	b	d	dk	l	s
426A005015	10	M5	10	15	3
426A005020	15	M5	10	20	3
426A005025	20	M5	10	25	3
426A005030	25	M5	10	30	3
426A005035	30	M5	10	35	3
426A005040	35	M5	10	40	3
426A005045	40	M5	10	45	3
426A006010	5	M6	12	10	4
426A006012	7	M6	12	12	4
426A006015	10	M6	12	15	4
426A006016	11	M6	12	16	4
426A006018	13	M6	12	18	4
426A006020	15	M6	12	20	4
426A006025	20	M6	12	25	4
426A006028	23	M6	12	28	4
426A006030	25	M6	12	30	4
426A006035	30	M6	12	35	4

article	b	d	dk	l	s
426A006040	35	M6	12	40	4
426A006045	40	M6	12	45	4
426A006050	45	M6	12	50	4
426A006055	45	M6	12	55	4
426A006060	50	M6	12	60	4
426A006065	55	M6	12	65	4
426A006070	60	M6	12	70	4
426A006075	65	M6	12	75	4
426A006080	65	M6	12	80	4
426A006090	80	M6	12	90	4
426A006095	85	M6	12	95	4
426A006100	95	M6	12	100	4
426A006110	95	M6	12	110	4
426A006120	115	M6	12	120	4
426A008015	9	M8	16	15	5
426A008020	14	M8	16	20	5
426A008025	19	M8	16	25	5
426A008030	24	M8	16	30	5
426A008032	26	M8	16	32	5
426A008035	29	M8	16	35	5
426A008040	34	M8	16	40	5
426A008045	39	M8	16	45	5
426A008050	44	M8	16	50	5
426A008055	45	M8	16	55	5

article	b	d	dk	l	s
426A008060	50	M8	16	60	5
426A008065	55	M8	16	65	5
426A008070	60	M8	16	70	5
426A008080	65	M8	16	80	5
426A008085	75	M8	16	85	5
426A008090	80	M8	16	90	5
426A008100	90	M8	16	100	5
426A008110	95	M8	16	110	5
426A008120	95	M8	16	120	5
426A010020	13	M10	20	20	6
426A010025	17	M10	20	25	6
426A010030	23	M10	20	30	6
426A010035	28	M10	20	35	6
426A010040	33	M10	20	40	6
426A010045	38	M10	20	45	6
426A010050	43	M10	20	50	6
426A010060	50	M10	20	60	6
426A010070	60	M10	20	70	6
426A010080	70	M10	20	80	6
426A010090	80	M10	20	90	6
426A010100	90	M10	20	100	6



article	b	d	dk	l	s
426D206015	10	M6	12	15	5
426D206020	15	M6	12	20	5
426D206030	25	M6	12	30	5
426D206050	45	M6	12	50	5
426D206080	65	M6	12	80	5








article	d	dk	l	s
426E006030	M6	12	30	4
426E006050	M6	12	50	4






## **Metal screws : CSK head with Pz - Ph recess**











MAURI's CSK head metal screws are designed to remain flush with the surface in which they are inserted. They can be suitable for non-metal applications when an insert nut is installed.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
420A0				•		•	•			•
420B2				•		•	•			•
420E0				•		•	•			•
617A0				•		•	•			•
622C4				•		•	•			•


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	b	d	dk	l	ph
420A005015	9	M5	10	15	2
420A005020	14	M5	10	20	2
420A005025	19	M5	10	25	2
420A005030	24	M5	10	30	2
420A005035	29	M5	10	35	2
420A005040	34	M5	10	40	2
420A005050	44	M5	10	50	2
420A006015	9	M6	12	15	3
420A006020	14	M6	12	20	3
420A006025	19	M6	12	25	3
420A006030	24	M6	12	30	3
420A006035	29	M6	12	35	3
420A006040	34	M6	12	40	3
420A006045	39	M6	12	45	3
420A006050	44	M6	12	50	3
420A006060	50	M6	12	60	3
420A006070	60	M6	12	70	3



article	d	dk	l	pzd
420B204010	M4	8	10	2
420B204012	M4	8	12	2
420B204022	M4	8	22	2
420B204025	M4	8	25	2
420B204035	M4	8	35	2



article	d	dk	l	ph
420E004012	M4	7,3	12	2



article

b

d

dk

l

pzd

617A010035


28,5

M10

15

35

3








article	d	dk	pzd	q
622C404010	M4	7,5	2	10
622C404012	M4	7,5	2	12
622C404018	M4	7,5	2	18
622C404020	M4	7,5	2	20






## **Metal screws : Cutting head**











The MAURI metal screws with cut head are mainly used in 90 degree joints with pilot hole 30mm. or 40mm. Installation is done by using the tool 650A0.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
515A0				•		•	•			•
515B4				•		•	•			•


Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	k	l
515A006025	20	M6	10	7	25
515A006030	25	M6	10	7	30
515A006035	30	M6	10	7	35
515A006040	35	M6	10	7	40
515A006043	35	M6	10	7	43
515A006045	35	M6	10	7	45
515A006050	40	M6	10	7	50
515A006060	50	M6	10	7	60
515A006065	50	M6	10	7	65
515A006080	60	M6	10	7	80
515A008030	30	M8	11,5	9	30
515A008035	35	M8	11,5	9	35
515A008040	40	M8	11,5	9	40
515A008045	45	M8	11,5	9	45
515A008050	50	M8	11,5	9	50
515A076025	22	8,2x14W	11,5	9	25
515A076030	27	8,2x14W	11,5	9	30

article	b	d	dk	k	l
515A076035	32	8,2x14W	11,5	9	35
515A076040	30	8,2x14W	11,5	9	40
515A076045	35	8,2x14W	11,5	9	45
515A076050	40	8,2x14W	11,5	9	50
515A076055	40	8,2x14W	11,5	9	55
515A076060	50	8,2x14W	11,5	9	60
515A076070	60	8,2x14W	11,5	9	70
515A076080	65	8,2x14W	11,5	9	80








article	b	d	dk	k	l
515B406030	20	M6	10	7	31
515B406035	20	M6	10	7	36
515B406040	30	M6	10	7	41
515B406050	30	M6	10	7	51
515B406065	50	M6	10	7	66
515B406080	50	M6	10	7	81






## **Metal screws : Flat head with hex recess**











MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
414A0				•		•	•			•
419A0				•		•	•			•
562A0				•		•	•			•
562B4				•		•	•			•
562C5				•		•	•			•
632A0				•		•	•			•
666C4				•		•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	d	dk	k	l	s
414A004025	M4	10	1,5	25	3
414A004028	M4	10	1,5	28	3
414A00412M	M4	10	1,5	12,5	3




article	b	d	dk	k	l	s
419A006065	65	M6	20	2	65	4
419A006085	85	M6	20	2	85	4
419A006100	100	M6	20	2	100	4
419A006120	100	M6	20	2	120	4







article	b	d	dk	k	l	s
562A006012	9	M6	15	2,5	12	4
562A006015	12	M6	15	2,5	15	4
562A006020	17	M6	15	2,5	20	4
562A006025	22	M6	15	2,5	25	4
562A006030	27	M6	15	2,5	30	4
562A006040	37	M6	15	2,5	40	4
562A006045	42	M6	15	2,5	45	4
562A006050	47	M6	15	2,5	50	4
562A006060	50	M6	15	2,5	60	4
562A006070	60	M6	15	2,5	70	4
562A006075	65	M6	15	2,5	75	4
562A006080	65	M6	15	2,5	80	4
562A006085	75	M6	15	2,5	85	4
562A006090	80	M6	15	2,5	90	4
562A006095	85	M6	15	2,5	95	4
562A006100	90	M6	15	2,5	100	4




article	b	d	dk	k	l	q	s
562B406025	20	M6	15	2,5	26	25	4
562B406030	20	M6	15	2,5	31	30	4
562B406035	30	M6	15	2,5	36	35	4
562B406040	30	M6	15	2,5	41	40	4
562B406045	30	M6	15	2,5	46	45	4
562B406050	30	M6	15	2,5	51	50	4
562B406055	35	M6	15	2,5	56	55	4
562B406060	50	M6	15	2,5	61	60	4
562B406063	50	M6	15	2,5	64	63	4
562B406065	50	M6	15	2,5	66	65	4
562B406070	50	M6	15	2,5	71	70	4
562B406075	50	M6	15	2,5	76	75	4
562B406080	50	M6	15	2,5	81	80	4
562B406083	50	M6	15	2,5	84	83	4
562B406085	50	M6	15	2,5	86	85	4
562B406090	50	M6	15	2,5	91	90	4
562B406095	50	M6	15	2,5	96	95	4



article	d	dk	k	l	s
562C508016	M8	19	3	16	5
562C508020	M8	19	3	20	5
562C508025	M8	19	3	25	5
562C508030	M8	19	3	30	5
562C508035	M8	19	3	35	5
562C508040	M8	19	3	40	5
562C508045	M8	19	3	45	5
562C508060	M8	19	3	60	5
562C508100	M8	19	3	100	5
562C508110	M8	19	3	110	5



article	b	d	dk	k	l	s
632A010035	29	M10	16	3	35	6
632A010040	34	M10	16	3	40	6



article

d

dk

k

l

s

666C410010

M10

22

3

10






6






**Metal screws : Flat head with Pz - Ph recess**











MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
403A0				●		●	●			●
497C4				●		●	●			●


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	d	dk	k	l	pzd
403A004024	M4	10	1	24	2



article

d

dk

k

l

pzd

497C404015

M4

10

1,5

15

2

497C404035

M4

10

1,5

35






2






## **Metal screws : Hex head**











MAURI's metal screws are designed for use in counterparts with a metal thread. A hexagon socket is the preferred tool for installation.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
412A0				•		•	•			•
412B5				•		•	•			•
442A0				•		•				•
475A0				•			•	•	•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	k	q	s
412A076025	23	8,2x14W	4,5	25	12
412A076030	28	8,2x14W	4,5	30	12
412A076035	33	8,2x14W	4,5	35	12
412A076040	38	8,2x14W	4,5	40	12
412A076045	43	8,2x14W	4,5	45	12
412A076050	45	8,2x14W	4,5	50	12
412A076055	45	8,2x14W	4,5	55	12
412A076060	50	8,2x14W	4,5	60	12
412A076065	50	8,2x14W	4,5	65	12
412A076075	60	8,2x14W	4,5	75	12
412A076085	65	8,2x14W	4,5	85	12



article	b	d	k	q	s
412B576095	80	8,2x14W	4,5	95	12
412B576105	95	8,2x14W	4,5	105	12
412B576115	95	8,2x14W	4,5	115	12
412B576125	95	8,2x14W	4,5	125	12
412B576135	95	8,2x14W	4,5	135	12
412B576145	95	8,2x14W	4,5	145	12



article

b

d

dk

k

l

s

442A076065

50

8,2


25

13

65

12










article	b	d	l	q	s
475A008016	11	M8	44	16	14
475A010026	20	M10	44	26	14






## Metal screws : Pan head











MAURI's metal screws are designed for use in counterparts with a metal thread. Pan head screws are characterized by a cylindrical head with an internal hexagon recess. A hexagon bit or key is the preferred tool for installation.




Scan QR code for more information



-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
425A0				•		•	•			•
425A2				•		•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	d	dk	k	l	s
425A006010	M6	10	6	10	5
425A006015	M6	10	6	15	5
425A006020	M6	10	6	20	5
425A006025	M6	10	6	25	5
425A006030	M6	10	6	30	5
425A006035	M6	10	6	35	5
425A006040	M6	10	6	40	5
425A006045	M6	10	6	45	5
425A006050	M6	10	6	50	5
425A008015	M8	13	8	15	6
425A008020	M8	13	8	20	6
425A008025	M8	13	8	25	6
425A008030	M8	13	8	30	6
425A008035	M8	13	8	35	6
425A008040	M8	13	8	40	6
425A008045	M8	13	8	45	6
425A008050	M8	13	8	50	6








article	b	d	dk	k	l	s
425A206055	30	M6	10	6	55	5
425A206060	30	M6	10	6	60	5
425A206065	30	M6	10	6	65	5
425A206070	30	M6	10	6	70	5
425A206075	30	M6	10	6	75	5
425A206080	30	M6	10	6	80	5
425A208055	35	M8	13	8	55	6
425A208060	35	M8	13	8	60	6
425A208065	35	M8	13	8	65	6
425A208070	35	M8	13	8	70	6
425A208080	35	M8	13	8	80	6






## **Metal screws : Round head**











MAURI's metal screws are designed for use in counterparts with a metal thread. Round head screws are generally used with a counterpart where the underhead block can be used to lock the screw and prevent rotation.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
407A0				●		●	●			●




Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	cq	d	dk	k	q
407A006025	19	6	M6	15	2,5	25
407A006030	24	6	M6	15	2,5	30
407A006035	29	6	M6	15	2,5	35
407A006040	34	6	M6	15	2,5	40
407A006050	44	6	M6	15	2,5	50
407A006060	50	6	M6	15	2,5	60
407A006070	60	6	M6	15	2,5	70
407A006080	65	6	M6	15	2,5	80
407A006090	80	6	M6	15	2,5	90
407A006100	95	6	M6	15	2,5	100
407A008020	14	8	M8	18,5	4	20
407A008025	19	8	M8	18,5	4	25
407A008030	24	8	M8	18,5	4	30
407A008035	29	8	M8	18,5	4	35
407A008040	34	8	M8	18,5	4	40
407A008045	39	8	M8	18,5	4	45
407A008050	44	8	M8	18,5	4	50






article	b	cq	d	dk	k	q
407A008055	49	8	M8	18,5	4	55
407A008060	50	8	M8	18,5	4	60
407A008065	55	8	M8	18,5	4	65
407A008070	60	8	M8	18,5	4	70
407A008075	65	8	M8	18,5	4	75
407A008080	65	8	M8	18,5	4	80






## **Metal screws : Round head with hex recess**











MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.




Scan QR code for more information








-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
514A0				•		•	•			•
514A5				•		•	•			•
514B4				•		•	•			•
514B5				•		•	•			•
514B6				•		•	•			•
514B8				•		•	•			•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	k	l	s
514A006010	7	M6	15	3	10	4
514A006012	9	M6	15	3	12	4
514A006015	12	M6	15	3	15	4
514A006016	13	M6	15	3	16	4
514A006018	15	M6	15	3	18	4
514A006020	17	M6	15	3	20	4
514A006025	22	M6	15	3	25	4
514A006026	23	M6	15	3	26	4
514A006030	27	M6	15	3	30	4
514A006032	29	M6	15	3	32	4
514A006035	32	M6	15	3	35	4
514A006038	35	M6	15	3	38	4
514A006040	37	M6	15	3	40	4
514A006045	42	M6	15	3	45	4
514A006050	47	M6	15	3	50	4
514A006055	50	M6	15	3	55	4
514A006060	50	M6	15	3	60	4

article	b	d	dk	k	l	s
514A006065	55	M6	15	3	65	4
514A006070	60	M6	15	3	70	4
514A006075	65	M6	15	3	75	4
514A006076	65	M6	15	3	76	4
514A006080	65	M6	15	3	80	4
514A006090	80	M6	15	3	90	4
514A006095	85	M6	15	3	95	4
514A006100	90	M6	15	3	100	4





article

d

dk

k

l

s

514A508025


M8

14


5

25


5




article	b	d	dk	k	l	q	s
514B406030	20	M6	15	3	31	30	4
514B406032	20	M6	15	3	33	32	4
514B406035	30	M6	15	3	36	35	4
514B406038	30	M6	15	3	39	38	4
514B406040	30	M6	15	3	41	40	4
514B406045	30	M6	15	3	46	45	4
514B406046	30	M6	15	3	47	46	4
514B406050	30	M6	15	3	51	50	4
514B406051	30	M6	15	3	52	51	4
514B406055	50	M6	15	3	56	55	4
514B406060	50	M6	15	3	61	60	4
514B406065	50	M6	15	3	66	65	4
514B406070	50	M6	15	3	71	70	4
514B406076	50	M6	15	3	77	76	4
514B406080	50	M6	15	3	81	80	4
514B406090	50	M6	15	3	91	90	4
514B406095	50	M6	15	3	96	95	4



article	b	d	dk	k	l	s
514B508015	15	M8	17	3,5	15	5
514B508018	18	M8	17	3,5	18	5
514B508020	20	M8	17	3,5	20	5
514B508025	25	M8	17	3,5	25	5
514B508030	30	M8	17	3,5	30	5
514B508035	35	M8	17	3,5	35	5
514B508040	40	M8	17	3,5	40	5
514B508045	45	M8	17	3,5	45	5
514B508050	50	M8	17	3,5	50	5
514B508060	50	M8	17	3,5	60	5
514B508065	55	M8	17	3,5	65	5
514B508070	60	M8	17	3,5	70	5
514B508080	65	M8	17	3,5	80	5



article	b	d	dk	k	l	s
514B606015	11	M6	15	3,5	15	5
514B606018	14	M6	15	3,5	18	5
514B606020	16	M6	15	3,5	20	5
514B606025	21	M6	15	3,5	25	5
514B606030	26	M6	15	3,5	30	5
514B606035	31	M6	15	3,5	35	5
514B606040	36	M6	15	3,5	40	5
514B606045	41	M6	15	3,5	45	5
514B606050	46	M6	15	3,5	50	5
514B606055	50	M6	15	3,5	55	5
514B606060	50	M6	15	3,5	60	5
514B606063	50	M6	15	3,5	63	5
514B606065	55	M6	15	3,5	65	5
514B606070	60	M6	15	3,5	70	5
514B606080	65	M6	15	3,5	80	5
514B606085	75	M6	15	3,5	85	5
514B606100	90	M6	15	3,5	100	5



article	b	d	dk	k	l	s
514B806010	6	M6	15	3,5	10	5
514B806012	8	M6	15	3,5	12	5
514B806015	11	M6	15	3,5	15	5
514B806016	12	M6	15	3,5	16	5
514B806020	16	M6	15	3,5	20	5
514B806023	19	M6	15	3,5	23	5
514B806026	22	M6	15	3,5	26	5
514B806030	26	M6	15	3,5	30	5
514B806032	28	M6	15	3,5	32	5
514B806035	31	M6	15	3,5	35	5
514B806038	34	M6	15	3,5	38	5
514B806040	36	M6	15	3,5	40	5
514B806050	46	M6	15	3,5	50	5
514B806055	50	M6	15	3,5	55	5
514B806060	50	M6	15	3,5	60	5
514B806063	50	M6	15	3,5	63	5
514B806065	55	M6	15	3,5	65	5






article	b	d	dk	k	l	s
514B806070	60	M6	15	3,5	70	5
514B806080	65	M6	15	3,5	80	5
514B806090	80	M6	15	3,5	90	5
514B806100	90	M6	15	3,5	100	5
514B806105	95	M6	15	3,5	105	5






## **Metal screws : Round head with Pz - Ph recess**











MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.













Scan QR code for more information

-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic


-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance








	Materials					Assembling			Quality	
										
404A0				•		•	•			•
404E4				•		•	•			•
413A0				•		•	•			•
413E1				•		•	•			•
501C4				•		•	•			•
555C4				•		•	•			•
565C4				•		•	•			•
565C6				•		•	•			•




	Materials				Assembling			Quality		
										
565H1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
616C4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	combi_pzd	d	dk	k	l
404A00409M	2	M4	10	2	9,5
404A00410M	2	M4	10	2	10,5
404A00412M	2	M4	10	2	12,5
404A00414M	2	M4	10	2	14,5
404A00415M	2	M4	10	2	15,5
404A00419M	2	M4	10	2	19,5
404A00420M	2	M4	10	2	20,5
404A00421M	2	M4	10	2	21,5
404A00422M	2	M4	10	2	22,5
404A00423M	2	M4	10	2	23,5
404A00424M	2	M4	10	2	24,5
404A00427M	2	M4	10	2	27,5
404A00429M	2	M4	10	2	29,5
404A00431M	2	M4	10	2	31,5



article	d	dk	k	l	pzd
404E404008	M4	9,1	2	8	2
404E404010	M4	9,1	2	10	2



article	b	combi_pzd	d	dk	k	l
413A006010	8	3	M6	15	3,5	10
413A006030	28	3	M6	15	3,5	30
413A006040	38	3	M6	15	3,5	40
413A006050	48	3	M6	15	3,5	50
413A006060	50	3	M6	15	3,5	60
413A006070	60	3	M6	15	3,5	70
413A006080	65	3	M6	15	3,5	80
413A008015	13	3	M8	16	4	15
413A008020	18	3	M8	16	4	20
413A008030	28	3	M8	16	4	30
413A008040	38	3	M8	16	4	40
413A008050	48	3	M8	16	4	50
413A008060	50	3	M8	16	4	60
413A008070	60	3	M8	16	4	70
413A008080	65	3	M8	16	4	80



article

d

dk

k

l

ph

413E106024


M6

14,5


3,8

24

3




article	combi_pzd	d	dk	k	l
501C404015	2	M4	10	2	15




article	combi_pzd	d	dk	k	l
555C406014	3	M6	15	3,5	14
555C406016	3	M6	15	3,5	16
555C406020	M6	15	3,5	20	3







article	combi_pzd	d	dk	k	l
565C404008	2	M4	10	2,5	8
565C404009	2	M4	10	2,5	9
565C404010	2	M4	10	2,5	10
565C404012	2	M4	10	2,5	12
565C404018	2	M4	10	2,5	18
565C404020	2	M4	10	2,5	20
565C404025	2	M4	10	2,5	25
565C404030	2	M4	10	2,5	30
565C404035	2	M4	10	2,5	35



article	combi_pzd	d	dk	ds	k	l	lg
565C604027	2	M4	11	5	2,5	27	9,4



article	combi_pzd	d	dk	k	l
565H104015	2	M4	10	2,5	15








article	d	dk	ds	k	lg	q
616C406023	M6	13	5,9	3	4	23
616C406028	M6	13	5,9	3	9	28
616C406030	M6	13	5,9	3	11	30
616C406032	M6	13	5,9	3	13	32






## Studs : Hanger bolt











The MAURI hanger bolts are used to make connections between wood and metal. Having both a wood and metal thread, the hanger bolt creates attachment points in wood frames.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance


	Materials					Assembling			Quality	
										
400H1	●	●	●	●	●	●	●			●
613A0	●	●	●	●	●	●	●			●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	diam	l
400H108050	24	M8	8,5	50
400H108060	29	M8	8,5	60
400H108070	34	M8	8,5	70
400H108080	39	M8	8,5	80
400H110060	30	M10	10,7	60





article

d

diam

dk

k

l

613A063037

M6

6,3


9

1






37






## Studs : Studs for plastic











MAURI's studs for plastic are designed to be immersed in plastic parts. They serve as the main connection points, allowing for the attachment of components.



Scan QR code for more information

-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
515C1				●		●	●			●
801A0						●	●			●
848A0						●	●			●
962A0						●	●	●	●	●
977A0						●	●			●
977E3						●	●			●
977H2						●	●			●
977K7						●	●			●

## Materials


## Assembling








## Quality

978E3


									
									

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	d	dk	k	l
515C11027M	M10	13,5	10	27,5
515C11053M	M10	13,5	10	53,5
515C112035	M12	15,5	11,5	35
515C112054	M12	15,5	11,5	54
515C112065	M12	15,5	11,5	65
515C11228M	M12	15,5	11,5	28,5




article	d	dk	k	l	p
801A008013	M8	12	2	13	10
801A008016	M8	12	2	16	10
801A008020	M8	12	2	20	15




article	d	dk	ds	k	l
848A008025	M8	7,6	13	3	25







article	b	d	dk	s
962A00632M	20	M6	6,8	10




article	d	dk	k	l
977A008029	M8	12	3	29
977A008034	M8	12	3	34
977A008049	M8	12	3	49
977A010019	M10	14	2,5	19
977A010029	M10	14	2,5	29
977A010034	M10	14	2,5	34
977A010039	M10	14	2,5	39
977A010044	M10	14	2,5	44
977A010049	M10	14	2,5	49
977A010069	M10	14	2,5	69
977A012034	M12	15	2,5	34
977A012059	M12	15	2,5	59




article	d	dk	k	l	s
977E310019	M10	14	2,5	19	5
977E310029	M10	14	2,5	29	5
977E310034	M10	14	2,5	34	5
977E310039	M10	14	2,5	39	5
977E310044	M10	14	2,5	44	5
977E310049	M10	14	2,5	49	5
977E310059	M10	14	2,5	59	5
977E310069	M10	14	2,5	69	5



article	d	dk	k	pzd	q
977H208029	M8	12	3	2	29
977H208034	M8	12	3	2	34



article	d	dk	k	l	s
977K708024	M8	12	3	24	4
977K708039	M8	12	3	39	4
977K708049	M8	12	3	49	4








article	d	dk	l	s
978E308018	M8	13	18	4
978E308025	M8	13	25	4
978E308030	M8	13	30	4
978E308045	M8	13	45	4
978E310020	M10	17	20	5
978E310025	M10	17	25	5
978E310030	M10	17	30	5
978E310037	M10	17	37	5
978E310040	M10	17	40	5
978E310050	M10	17	50	5
978E310060	M10	17	60	5






## Stop screws : Hex recess











MAURI's stop screws are used for regulation purposes. By tightening and loosening the screw the position changes determine the regulation of the counterpart.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
810A0				●		●				●
810B4				●		●				●
810B5				●		●				●




Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	l	s
810A012042	32,5	M12	42	6
810A01230M	21	M12	30,5	6




article

d

l

s

810B410028	M10	28	5
810B412030	M12	30	6



article

d

l

s

810B512030


M12

30






6






## Pins : Pins











The range of pins by MAURI serves a variety of different purposes. Part functions range from wood connectors, parts that require rivetting, to lift mechanism connectors. Our research and development team is here to help you design and create complex parts through unique solutions.













Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic









-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
170A0			●		●	●	●			●
380A0				●		●	●			●
584A0						●	●			●
590D0	●	●				●	●			●
590P2	●	●				●	●			●
590P4	●	●				●	●			●
655A0						●	●			●
841A0				●		●				●

	Materials				Assembling			Quality		
										
860A0						•	•			•
861A0						•	•			•
861E1						•	•			•
862A0						•	•			•
863A0						•	•			•
863E1						•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		5 Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.

**584** Pins :  
Pins

[www.mauri-fm.it](http://www.mauri-fm.it)





article

b

dk

ds

k

l

170A010049

54

20

9,9

3

49

170A010059


64

20


9,9

3


59




article	dk	ds	k	l
380A01224M	19	12,65	4,5	24,5
380A01229D	19	12,65	4,5	29,1




article	dk	ds	k	l	q
584A00508M	5	2,5	8,5	3	11,5
584A00512M	5	2,5	12,5	3	15,5




article	b	diam	dk	ds	k	l	pilothole
590D051070	22,5	5,16	8	5	3	69,5	5



article	b	diam	dk	ds	k	l	pilothole
590P25168M	22,5	5,16	8	5	2	68,5	5



article	b	diam	dk	ds	k	l	pilothole
590P45169M	22,50	5,16	8	5	4	69,5	5



article

d

dk

k

p

q

655A008070


M8

12

1

13

70



article

d

dk

p

q

s

841A006037

M6


7,5

6

37

3





article

d

dk

ds

l

q

860A008040


M8

12

8

16

40



article

d

dk

ds

l

q

861A00836M


M8

12


8

11


36,5




article	d	dk	ds	l	q
861E108036	M8	14	7,8	11	36



article	dk	ds	l	q
862A014011	14	7,8	7	28,5



article	dk	ds	l	q
863A014016	14	7,8	11	32,5








article	dk	ds	l	q
863E114016	14	7,8	11	31,5






## Brackets : Flat shape











MAURI's brackets are made from metal sheet. The range consists of parts for 180 degree joints and joints for the connection of bed headboards and sofa side modules.



Scan QR code for more information


-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic






-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
20103							•	•		•
20104							•	•		•
50703							•	•		•
50704							•	•		•




Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article


a

b

2010300000

125

13,5



article


a

b

2010400000

127

17



article

a

b


diam

5070300000

150

39

6,2



article

a

b

diam

5070400000

150

44,50






6,2






## Brackets : L shape











MAURI's brackets are made from metal sheet. The range consists of parts for 90 degree joints and parts that add strength to joints, keeping them secure.




Scan QR code for more information









-  Soft wood or Particle board
-  Hard wood or MDF
-  Laminate or HPL
-  Metal
-  Plastic

-  Manual Insertion
-  Semi automated processing
-  Industry automated processing
-  ISO inner thread
-  RoHS compliance

	Materials					Assembling			Quality	
										
21701						•				•
21801						•				•
22001						•				•


Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	a	b	c	diam
2170117017	19	16	2	5



article

a

b


c

2180122022

22

22

2



article	a	b	c	diam
2200138038	38	15	2	5

# Fasteners Creators Since 1953



UNIT 1: F.Ili Mauri S.p.A.  
Via Barzago 189 - 23852 Garlate (LC) Italy Tel.  
+39 0341 681475 Fax. +39 0341 681483

UNIT 2: F.Ili Mauri S.p.A.  
Via del Lavoro 5 - 23854 Olginate (LC) Italy  
Tel. +39 0341 681475 Fax. +39 0341 681483

**contact us at:**  
[sales@mauri-fm.it](mailto:sales@mauri-fm.it)

The logo features a stylized red 'M' symbol on the left, followed by the word 'MAURI' in a bold, white, sans-serif font. The letters 'M', 'A', and 'U' have a red vertical bar on their right side. Two horizontal white lines extend from the left and right sides of the 'M' symbol across the page.

**MAURI**

*Fasten your business*

[www.mauri-fm.it](http://www.mauri-fm.it)